

# 2011 School Student Health Behaviours Survey Data Dictionary

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
AGE	8	AGEA	Student age		10. 10 11. 11 12. 12 13. 13 14. 14 15. 15 16. 16 17. 17 18. 18 19. 19 and over 77. Invalid response given 88. Multiple responses given 99. No response given
ALCAVE	8		Average number of alcoholic drinks consumed		
AQ13A	8	AQ13AA	Bought cigarettes over the Internet or by phone/fax or mail order? No		0. No 1. Yes
AQ13B	8	AQ13BA	Bought cigarettes over the Internet or by phone/fax or mail order? Yes, over the Internet		0. No 1. Yes
AQ13C	8	AQ13CA	Bought cigarettes over the Internet or by phone/fax or mail order? Yes, by phone/fax or mail order		0. No 1. Yes
AQ13D	8	AQ13DA	Bought cigarettes over the Internet or by phone/fax or mail order? Invalid response		0. No 1. Yes
AQ13E	8	AQ13EA	Bought cigarettes over the Internet or by phone/fax or mail order? No response given		0. No 1. Yes

AQ16A	8	AQ16AA	How often have you been asked for proof of your age or ID at a hotel, pub or club?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
AQ16B	8	AQ16BA	How often have you been asked for proof of your age or ID at a restaurant?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
AQ16C	8	AQ16CA	How often have you been asked for proof of your age or ID at a nightclub or dance venue?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
AQ16D	8	AQ16DA	How often have you been asked for proof of your age or ID at a bottle shop?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
AQ17	8	AQ17A	How often have you used someone else's ID/fake ID to enter and/or ask for alcohol		1. Never 2. Yes, once or twice 3. Yes, frequently 77. Invalid response given 88. Multiple responses given 99. No response given
AQ19A	8	AQ19AA	Bought alcohol over the Internet or by phone/fax or mail order? No		0. No 1. Yes
AQ19B	8	AQ19BA	Bought alcohol over the Internet or by phone/fax or mail order? Internet		0. No 1. Yes
AQ19C	8	AQ19CA	Bought alcohol over the Internet		0. No

			or by phone/fax or mail order? Phone/fax, mail order		1. Yes
AQ19D	8	AQ19DA	Bought alcohol over the Internet or by phone/fax or mail order? Invalid response		0. No 1. Yes
AQ19E	8	AQ19EA	Bought alcohol over the Internet or by phone/fax or mail order? No response given		0. No 1. Yes
AQ20	8	AQ20A	During the last six months, was there a time when you felt unhappy, sad or depressed?		1. No 2. Yes, at home and at school 3. Yes, but only at home 4. Yes, but only at school 77. Invalid response given 88. Multiple responses given 99. No response given
AQ21	8	AQ21A	When you were feeling unhappy, sad or depressed, how bad was it for you?		1. Almost more than I could take 2. Quite bad 3. Worse than usual 4. About usual 77. Invalid response given 88. Multiple responses given 99. No response given
AQ22A	8	AQ22AA	When you were feeling unhappy, who did you talk to about it? no one		0. No 1. Yes
AQ22B	8	AQ22BA	When you were feeling unhappy, who did you talk to about it? Family		0. No 1. Yes
AQ22C	8	AQ22CA	When you were feeling unhappy, who did you talk to about it? Friends		0. No 1. Yes
AQ22D	8	AQ22DA	When you were feeling unhappy, who did you talk to about it? Teachers, school counsellors		0. No 1. Yes
AQ22E	8	AQ22EA	When you were feeling unhappy, who did you talk to		0. No 1. Yes

			about it? Doctors other health professionals		
AQ22F	8	AQ22FA	When you were feeling unhappy, who did you talk to about it? Religious advisors, groups		0. No 1. Yes
AQ22G	8	AQ22GA	When you were feeling unhappy, who did you talk to about it? Helpline, Internet		0. No 1. Yes
AQ22H	8	AQ22HA	When you were feeling unhappy, who did you talk to about it? Other person or group specified		0. No 1. Yes
AQ22I	8	AQ22IA	When you were feeling unhappy, who did you talk to about it? Other unspecified		0. No 1. Yes
AQ22J	8	AQ22JA	When you were feeling unhappy, who did you talk to about it? Invalid responses		0. No 1. Yes
AQ22K	8	AQ22KA	When you were feeling unhappy, who did you talk to about it? No response given		0. No 1. Yes
AQ23	8	AQ23A	If you talked to someone about feeling unhappy, sad or depressed, how helpful were they?		1. Not at all helpful 2. Somewhat helpful 3. Quite helpful 4. Very helpful 77. Invalid response given 88. Multiple responses given 99. No response given
AQ24	8	AQ24A	During the last six months, was there a time when you felt nervous, stressed, or under pressure?		1. No 2. Yes, at home and at school 3. Yes, but only at home 4. Yes, but only at school 77. Invalid response given 88. Multiple responses given 99. No response given
AQ25	8	AQ25A	When you were feeling nervous,		1. Almost more than I could take

			stressed, or under pressure, how bad was it for you?		2. Quite bad 3. Worse than usual 4. About usual 77. Invalid response given 88. Multiple responses given 99. No response given
AQ26A	8	AQ26AA	When you were feeling stressed, who did you talk to about it? no one		0. No 1. Yes
AQ26B	8	AQ26BA	When you were feeling stressed, who did you talk to about it? Family		0. No 1. Yes
AQ26C	8	AQ26CA	When you were feeling stressed, who did you talk to about it? Friends		0. No 1. Yes
AQ26D	8	AQ26DA	When you were feeling stressed, who did you talk to about it? Teachers, school counsellors		0. No 1. Yes
AQ26E	8	AQ26EA	When you were feeling stressed, who did you talk to about it? Doctors other health professionals		0. No 1. Yes
AQ26F	8	AQ26FA	When you were feeling stressed, who did you talk to about it? Religious advisors, groups		0. No 1. Yes
AQ26G	8	AQ26GA	When you were feeling stressed, who did you talk to about it? Helpline/Internet		0. No 1. Yes
AQ26H	8	AQ26HA	When you were feeling stressed, who did you talk to about it? Other person or group unspecified		0. No 1. Yes
AQ26I	8	AQ26IA	When you were feeling stressed, who did you talk to about it? Counsellor/psychiatrist/therapist		0. No 1. Yes
AQ26J	8	AQ26JA	When you were feeling stressed, who did you talk to about it?		0. No 1. Yes

			Other unspecified		
AQ26K	8	AQ26KA	When you were feeling stressed, who did you talk to about it? Invalid response		0. No 1. Yes
AQ26L	8	AQ26LA	When you were feeling stressed, who did you talk to about it? No response given		0. No 1. Yes
AQ27	8	AQ27A	If you talked to someone about feeling nervous, stressed, or under pressure, how helpful were they?		1. Not at all helpful 2. Somewhat helpful 3. Quite helpful 4. Very helpful 77. Invalid response given 88. Multiple responses given 99. No response given
AQ28	8	AQ28A	During the last six months, was there a time when you were in trouble because of your behaviour?		1. No 2. Yes, at home and at school 3. Yes, but only at home 4. Yes, but only at school 77. Invalid response given 88. Multiple responses given 99. No response given
AQ29	8	AQ29A	When you were in trouble because of your behaviour, how bad was it for you?		1. Almost more than I could take 2. Quite bad 3. Worse than usual 4. About usual 77. Invalid response given 88. Multiple responses given 99. No response given
AQ30A	8	AQ30AA	When you were in trouble because of your behaviour, who did you talk to? - no one		0. No 1. Yes
AQ30B	8	AQ30BA	When you were in trouble because of your behaviour, who did you talk to? - Family		0. No 1. Yes
AQ30C	8	AQ30CA	When you were in trouble because of your behaviour, who did you talk to? - Friends		0. No 1. Yes

AQ30D	8	AQ30DA	When you were in trouble because of your behaviour, who did you talk to? - Teachers, school counsellors		0. No 1. Yes
AQ30E	8	AQ30EA	When you were in trouble because of your behaviour, who did you talk to? - Doctors other health professionals		0. No 1. Yes
AQ30F	8	AQ30FA	When you were in trouble because of your behaviour, who did you talk to? - Religious advisors, groups		0. No 1. Yes
AQ30G	8	AQ30GA	When you were in trouble because of your behaviour, who did you talk to? - Helpline/Internet		0. No 1. Yes
AQ30H	8	AQ30HA	When you were in trouble because of your behaviour, who did you talk to? - Other person or group specified		0. No 1. Yes
AQ30I	8	AQ30IA	When you were in trouble because of your behaviour, who did you talk to? - Counsellor/psychiatrist		0. No 1. Yes
AQ30J	8	AQ30JA	When you were in trouble because of your behaviour, who did you talk to? - Other unspecified		0. No 1. Yes
AQ30K	8	AQ30KA	When you were in trouble because of your behaviour, who did you talk to? - Invalid		0. No 1. Yes
AQ30L	8	AQ30LA	When you were in trouble because of your behaviour, who did you talk to? - Missing response		0. No 1. Yes
AQ31	8	AQ31A	If you talked to someone about being in trouble because of your		1. Not at all helpful 2. Somewhat helpful

			behaviour, how helpful were they?		3. Quite helpful 4. Very helpful 77. Invalid response given 88. Multiple responses given 99. No response given
AQ32	8	AQ32A	During the last six months, was there a time when you had problems studying at home or school that affected your performance in school tests and other work?		1. No 2. Yes, at home and at school 3. Yes, but only at home 4. Yes, but only at school 77. Invalid response given 88. Multiple responses given 99. No response given
AQ33	8	AQ33A	When you were having those study problems, how bad was it for you?		1. Almost more than I could take 2. Quite bad 3. Worse than usual 4. About usual 77. Invalid response given 88. Multiple responses given 99. No response given
AQ34A	8	AQ34AA	When you were having those study problems, whom did you talk to? - no one		0. No 1. Yes
AQ34B	8	AQ34BA	When you were having those study problems, whom did you talk to? - Family		0. No 1. Yes
AQ34C	8	AQ34CA	When you were having those study problems, whom did you talk to? - Friends		0. No 1. Yes
AQ34D	8	AQ34DA	When you were having those study problems, whom did you talk to? - Teachers, school counsellors		0. No 1. Yes
AQ34E	8	AQ34EA	When you were having those study problems, whom did you talk to? - Doctors other health professionals		0. No 1. Yes
AQ34F	8	AQ34FA	When you were having those		0. No



			study problems, whom did you talk to? - Religious advisors, groups		1. Yes
AQ34G	8	AQ34GA	When you were having those study problems, whom did you talk to? - Helpline/Internet		0. No 1. Yes
AQ34H	8	AQ34HA	When you were having those study problems, whom did you talk to? - Other person or group unspecified		0. No 1. Yes
AQ34I	8	AQ34IA	When you were having those study problems, whom did you talk to? - Counsellor/psychiatrist/therapists		0. No 1. Yes
AQ34J	8	AQ34JA	When you were having those study problems, whom did you talk to? - Other unspecified		0. No 1. Yes
AQ34K	8	AQ34KA	When you were having those study problems, whom did you talk to? - Invalid response		0. No 1. Yes
AQ34L	8	AQ34LA	When you were having those study problems, whom did you talk to? - No response given		0. No 1. Yes
AQ35	8	AQ35A	If you talked to someone about having those study problems, how helpful were they?		1. Not at all helpful 2. Somewhat helpful 3. Quite helpful 4. Very helpful 77. Invalid response given 88. Multiple responses given 99. No response given
AQ4	8	AQ4A	Would you like to quit smoking?		1. Yes 2. No 3. I am not sure 4. I don't smoke 77. Invalid response given 88. Multiple responses given

					99. No response given
AQ5	8	AQ5A	Have you tried to quit smoking in the last 12 months?		1. Yes, have tried to give up 2. I smoke but have not tried to quit in the last 2 months 77. Invalid response given 88. Multiple responses given 99. No response given
AQ5A	8	AQ5A	Number of times tried to quit smoking		1. Yes, have tried to give up 2. I smoke but have not tried to quit in the last 2 months 77. Invalid response given 88. Multiple responses given 99. No response given
AQ7A	8	AQ7AA	Seen cigarette advertising? No		0. No 1. Yes
AQ7B	8	AQ7BA	Seen cigarette advertising? Magazines or newspapers		0. No 1. Yes
AQ7C	8	AQ7CA	Seen cigarette advertising? Internet		0. No 1. Yes
AQ7D	8	AQ7DA	48 Seen cigarette advertising? Shops or tobacconists		0. No 1. Yes
AQ7E	8	AQ7EA	Seen cigarette advertising? Billboards		0. No 1. Yes
AQ7F	8	AQ7FA	Seen cigarette advertising? Sports event		0. No 1. Yes
AQ7G	8	AQ7GA	Seen cigarette advertising? While watching TV coverage of a sports event		0. No 1. Yes
AQ7H	8	AQ7HA	Seen cigarette advertising? Invalid response		0. No 1. Yes
AQ7I	8	AQ7IA	Seen cigarette advertising? No response given		0. No 1. Yes
AQ7J	8	AQ7JA	Seen cigarette advertising? At a festival or other event		0. No 1. Yes
ARHSRES	\$4	\$ARHS	Groups of Local Health Districts		X500. South Western Sydney X510. Sydney, SE Sydney, & Illawarra and Shoalhaven

					<p>X520. Western Sydney &amp; Nepean Blue Mountains</p> <p>X530. Northern Sydney &amp; Central Coast</p> <p>X540. Hunter &amp; New England</p> <p>X550. Mid North Coast &amp; Northern NSW</p> <p>X560. Murrumbidgee and Southern NSW</p> <p>X570. Western and Far West</p>
ARIAPL USC	\$14	\$ARIAPLS	ARIA+	Derived variable. The Accessibility-Remoteness Index of Australia Plus (ARIA+) is the standard Australian Bureau of Statistics endorsed measure of remoteness. It is derived using the road distances from populated localities to the nearest service centres across Australia. ARIA+ is grouped into 5 categories: major cities, inner regional, outer regional, remote, and very remote, using postcodes from survey respondents.	<ol style="list-style-type: none"> <li>1. Major Cities</li> <li>2. Inner Regional</li> <li>3. Outer Regional</li> <li>4. Remote</li> <li>5. Very Remote</li> </ol>
ATSCHO OL	8	ATSCHOOA	Were you at school on the last school day?		<ol style="list-style-type: none"> <li>1. Yes</li> <li>2. No</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ol>
BQ10_08	8	BQ10_08A	In the past 6 months have you hurt yourself or had an injury		<ol style="list-style-type: none"> <li>1. No</li> <li>2. Yes</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ol>
BQ12A_0 8	8	BQ12A_0A	What were you doing the most recent time you were hurt or injured - School activity (including school sport)		<ol style="list-style-type: none"> <li>0. No</li> <li>1. Yes</li> </ol>
BQ12B_0 8	8	BQ12B_0A	What were you doing the most recent time you were hurt or injured - Sport		<ol style="list-style-type: none"> <li>0. No</li> <li>1. Yes</li> </ol>

BQ12C_08	8	BQ12C_0A	What were you doing the most recent time you were hurt or injured - Leisure or play		0. No 1. Yes
BQ12D_08	8	BQ12D_0A	What were you doing the most recent time you were hurt or injured - Working for money		0. No 1. Yes
BQ12E_08	8	BQ12E_0A	What were you doing the most recent time you were hurt or injured - Travelling in a vehicle		0. No 1. Yes
BQ12F_08	8	BQ12F_0A	What were you doing the most recent time you were hurt or injured - Travelling on foot or on wheels		0. No 1. Yes
BQ12G_08	8	BQ12G_0A	What were you doing the most recent time you were hurt or injured - Doing any other activity specified		0. No 1. Yes
BQ12H_08	8	BQ12H_0A	What were you doing the most recent time you were hurt or injured - Self harm		0. No 1. Yes
BQ12I_08	8	BQ12I_0A	What were you doing the most recent time you were hurt or injured - Other unspecified		0. No 1. Yes
BQ12J_08	8	BQ12J_0A	What were you doing the most recent time you were hurt or injured - Doing nothing/resting/relaxing/sitting down/watching TV		0. No 1. Yes
BQ12K_08	8	BQ12K_0A	What were you doing the most recent time you were hurt or injured - Domestic duties/chores/cleaning/painting		0. No 1. Yes
BQ12L_08	8	BQ12L_0A	What were you doing the most recent time you were hurt or injured - Fighting/in a fight		0. No 1. Yes
BQ12M_08	8	BQ12M_0A	What were you doing the most recent time you were hurt or		0. No 1. Yes

			injured - Being bullied/bashed		
BQ12N_08	8	BQ12N_0A	What were you doing the most recent time you were hurt or injured - Medical procedure/operation		0. No 1. Yes
BQ12O_08	8	BQ12O_0A	What were you doing the most recent time you were hurt or injured - Eating/drinking		0. No 1. Yes
BQ12P_08	8	BQ12P_0A	What were you doing the most recent time you were hurt or injured - Invalid response		0. No 1. Yes
BQ12Q_08	8	BQ12Q_0A	What were you doing the most recent time you were hurt or injured - No response given		0. No 1. Yes
BQ18	8	BQ18A	How many times have you used a solarium (sunbed) in the past 12 months?		1. None 2. Once 3. 2 to 5 times 4. 6 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
BQ4	8	BQ4A	Do you think of yourself as being too thin, about the right weight, or too fat?		1. Too thin (underweight) 2. About the right weight 3. Too fat (overweight) 77. Invalid response given 88. Multiple responses given 99. No response given
BQ5	8	BQ5A	Which of the following are you trying to do about your weight?		1. Lose weight 2. Gain weight 3. Stay the same weight 4. I am not trying to do anything about my weight 77. Invalid response given 88. Multiple responses given 99. No response given
BQ7A	8	BQ7AA	Outside school time, how many hours a day, on average, do you		1. Not at all 2. 1 hour or less a day

			usually watch TV, videos or DVDs? On Monday to Friday		<ul style="list-style-type: none"> <li>3. 2 hours a day</li> <li>4. 3 hours a day</li> <li>5. 4 hours a day</li> <li>6. 5 or more hours a day</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
BQ7B	8	BQ7BA	Outside school time, how many hours a day, on average, do you usually watch TV, videos or DVDs? On Saturday and Sunday		<ul style="list-style-type: none"> <li>1. Not at all</li> <li>2. 1 hour or less a day</li> <li>3. 2 hours a day</li> <li>4. 3 hours a day</li> <li>5. 4 hours a day</li> <li>6. 5 or more hours a day</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
BQ8A	8	BQ8AA	Outside school time, how many hours a day on average do you usually use computers for entertainment or to play video games on Monday to Friday		<ul style="list-style-type: none"> <li>1. Not at all</li> <li>2. 1 hour or less a day</li> <li>3. 2 hours a day</li> <li>4. 3 hours a day</li> <li>5. 4 hours a day</li> <li>6. 5 or more hours a day</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
BQ8B	8	BQ8BA	Outside school time, how many hours a day on average do you usually use computers for entertainment or to play video games on Saturday and Sunday		<ul style="list-style-type: none"> <li>1. Not at all</li> <li>2. 1 hour or less a day</li> <li>3. 2 hours a day</li> <li>4. 3 hours a day</li> <li>5. 4 hours a day</li> <li>6. 5 or more hours a day</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
BQ9A	8	BQ9AA	Outside school time, how many hours a day on average do you usually use computers for study		<ul style="list-style-type: none"> <li>1. Not at all</li> <li>2. 1 hour or less a day</li> <li>3. 2 hours a day</li> </ul>

			or school work? On Monday to Friday		4. 3 hours a day 5. 4 hours a day 6. 5 or more hours a day 77. Invalid response given 88. Multiple responses given 99. No response given
BQ9B	8	BQ9BA	Outside school time, how many hours a day on average do you usually use computers for study or school work? On Saturday and Sunday		1. Not at all 2. 1 hour or less a day 3. 2 hours a day 4. 3 hours a day 5. 4 hours a day 6. 5 or more hours a day 77. Invalid response given 88. Multiple responses given 99. No response given
BUYCIGOT	8	BUYCIGOA	How easy would it be for you to get someone to buy cigarettes for you?		1. Very easy 2. Easy 3. Neither easy nor difficult 4. Difficult 5. Very difficult 77. Invalid response given 88. Multiple responses given 99. No response given
BUYCIGSF	8	BUYCIGSA	How easy would it be for you to buy cigarettes?		1. Very easy 2. Easy 3. Neither easy nor difficult 4. Difficult 5. Very difficult 77. Invalid response given 88. Multiple responses given 99. No response given
CARALC	8	CARALCA	In the last 12 months, have you been in a car when the driver appeared to be under the influence of alcohol?		1. Yes 2. No 77. Invalid response given 88. Multiple responses given 99. No response given
CIG6	8	CIG6A	Do you think you will smoke		1. Definitely no

			cigarettes sometime in the next 6 months?		2. Probably no 3. Probably yes 4. Definitely yes 77. Invalid response given 88. Multiple responses given 99. No response given
CUPWATER	8	CUPWATEA	Cups of water drink per day		Enter value 777. Invalid response given 999. No response given
DENOM	8		Strata code for school sector	For use in analysis to account for the complex design.	
DENTCON	8	DENTCOKA	Dental injuries - A tooth was completely knocked out		0. No 1. Yes
DENTFR A	8	DENTFRAA	Dental injuries - A fractured tooth		0. No 1. Yes
DENTIN V	8	DENTINVA	Dental injuries - Invalid response		0. No 1. Yes
DENTLO O	8	DENTLOOA	Dental injuries - A tooth was loosened but not completely knocked out		0. No 1. Yes
DENTMISS	8	DENTMISA	Dental injuries - No response		0. No 1. Yes
DENTNO	8	DENTNOA	Dental injuries - None		0. No 1. Yes
DENTOTH	8	DENTOTHA	Dental injuries - Other		0. No 1. Yes
DISADV QT	8	DISQT			1. 1st Quintile least disadvantaged 2. 2nd Quintile 3. 3rd Quintile 4. 4th Quintile 5. 5th Quintile most disadvantaged
DOPESE LF	8	DOPESELA	Do you usually use cannabis by yourself or with others?		1. By myself 2. With others 3. By myself and with others about equally often 77. Invalid response given 88. Multiple responses given



					99. No response given
DOPETY PE	8	DOPETYPA	Type/method of using marijuana/cannabis		<ul style="list-style-type: none"> <li>1. Smoke it as a joint</li> <li>2. Smoke it from a bong or a pipe</li> <li>3. Eat it</li> <li>4. Other specified</li> <li>5. Other unspecified</li> <li>6. Gravity bong</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
DOPEW HER	8	DOPEWHEA	Where did you last use cannabis?		<ul style="list-style-type: none"> <li>1. At a hotel, pub, tavern or RSL club</li> <li>2. At a dance venue, dance party, rave</li> <li>3. At a nightclub</li> <li>4. At a party</li> <li>5. At my home</li> <li>6. At my friends home</li> <li>7. At a sports club</li> <li>8. At the beach</li> <li>9. In a park</li> <li>10. In a car</li> <li>11. On school grounds during school time</li> <li>12. On school grounds after hours</li> <li>20. Other unspecified</li> <li>21. At a sporting event</li> <li>22. Other function</li> <li>23. Other adults/relations home</li> <li>24. Public area</li> <li>25. Bush/camping</li> <li>26. Holiday</li> <li>30. Other specified</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
DRINK12	8	DRINK12A	Have you had an alcoholic drink in the last 12 months?		<ul style="list-style-type: none"> <li>1. Yes</li> <li>2. No</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> </ul>

					99. No response given
DRINK4	8	DRINK4A	Have you had an alcoholic drink in the last 4 weeks?		1. Yes 2. No 77. Invalid response given 88. Multiple responses given 99. No response given
DRINK7	8	DRINK7A	Have you had an alcoholic drink in the last 7 days?		0. No 1. Yes 77. Invalid response given 99. No response given
DRINK7 DAYS	8		Total number days alcoholic drinks consumed in the last 7 days		
DRINK7 NUM	8		Total number of alcoholic drinks consumed in the last 7 days		
DRNKSC HL	8	DRNKSCHA	Any lessons/parts of lessons about drinking during 2010?		1. No, not even part of a lesson 2. Yes, part of a lesson 3. Yes, one lesson 4. Yes, more than one lesson 77. Invalid response given 88. Multiple responses given 99. No response given
DRUGSC HL	8	DRUGSCHA	Any lessons/parts of lessons about illicit drugs during 2010?		1. No, not even part of a lesson 2. Yes, part of a lesson 3. Yes, one lesson 4. Yes, more than one lesson 77. Invalid response given 88. Multiple responses given 99. No response given
EVERDR NK	8	EVERDRNA	Have you ever had even part of an alcoholic drink?		1. No 2. Yes, just a few sips 3. Yes, I have had fewer than 10 alcoholic drinks in my life 4. Yes, I have had more than 10 alcoholic drinks in my life 77. Invalid response given 88. Multiple responses given

					99. No response given
EVERSM OK	8	EVERSMOA	Have you ever smoked even part of a cigarette?		1. No 2. Yes, just a few puffs 3. Yes, I have smoked fewer than 10 cigarettes in my life 4. Yes, I have smoked more than 10 but fewer than 100 cigs 5. Yes, I have smoked more than 100 cigarettes in my life 77. Invalid response given 88. Multiple responses given 99. No response given
FRUIT05	8	FRUIT05A	How many serves of fruit do you usually eat each day?		1. 1 serve or less 2. 2 serves 3. 3 serves 4. 4 serves 5. 5 serves 6. 6 serves or more 7. I do not eat fruit 77. Invalid response given 88. Multiple responses given 99. No response given
GRAINS0 8	8	GRAINS0A	How many serves of bread and/or cereal do you usually eat each day?		1. 1 serve or less 2. 2 serves 3. 3 serves 4. 4 serves 5. 5 serves 6. 6 serves 7. 7 serves 8. 8 serves 9. 9 serves 10. 10 serves or more 11. I do not eat bread and/or cereal 77. Invalid response given 88. Multiple responses given 99. No response given
HEROIN	8	HEROINLA	Ever used/taken heroin in		1. None

LF			lifetime?		<ul style="list-style-type: none"> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
HEROIN YR	8	HEROINYA	Ever used/taken heroin in last year?		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
HM_BMI	8		Calculated actual BMI	Derived variable from height (H3) and weight (W3) using the formula $\text{weight (kg)}/[\text{height(m)}*\text{height(m)}]$ . This has not been adjusted in any way to account for the fact that the students are less than 18 years of age.	
HM_CAT	\$1		Body Mass Index category	Derived variable. In children, BMI is first calculated by dividing a person's weight (in kilograms) by their height (in metres) squared. The resulting BMI is then classified into 4 categories: underweight when the BMI is less than 18.5, healthy weight when the BMI is greater than or equal to 18.5 and less than 25, overweight when the BMI is greater than or equal to 25 and less than 30, and obese when the BMI is greater than or equal to 30. These categories are	<ul style="list-style-type: none"> <li>1. Underweight</li> <li>2. Healthy weight</li> <li>3. Overweight</li> <li>4. Obesity</li> </ul>

				then adjusted for international cut-off points defined for underweight, overweight, and obesity (Cole et al. 2000; Cole et al. 2007).	
HOMEWORK	8	HOMEWORK A	Homework: On an average school day, about how many hours a day do you do the following when you are not at school		<ul style="list-style-type: none"> <li>1. None</li> <li>2. 1 hour or less</li> <li>3. 2 hours</li> <li>4. 3 hours</li> <li>5. 4 hours</li> <li>6. 5 or more hours</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
HSNUM	8		Unique survey number		
INTENT	8	INTENTA	Do you think you will be smoking cigarettes this time next year?		<ul style="list-style-type: none"> <li>1. Certain not to be smoking</li> <li>2. Very unlikely to be smoking</li> <li>3. Unlikely to be smoking</li> <li>4. Can't decide how likely</li> <li>5. Likely to be smoking</li> <li>6. Very likely to be smoking</li> <li>7. Certain to be smoking</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
INTERNET	8	INTERNEA	Internet: On an average school day, about how many hours a day do you do the following when you are not at school		<ul style="list-style-type: none"> <li>1. None</li> <li>2. 1 hour or less</li> <li>3. 2 hours</li> <li>4. 3 hours</li> <li>5. 4 hours</li> <li>6. 5 or more hours</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
INTNDDRNK	8	INTNDDRA	Intention to get drunk		<ul style="list-style-type: none"> <li>1. Never</li> <li>2. A few times</li> <li>3. Sometimes</li> <li>4. Most times</li> </ul>

					5. Every time 6. Don't know 77. Invalid response given 88. Multiple responses given 99. No response given
I_ALCO HOL1	2	\$\$_INDF	Ever consumed alcohol	The indicator includes those students who have ever had even part of an alcoholic drink, including beer, wine, wine coolers, alcoholic sodas, spirits, premixed spirit drinks, liqueurs, alcoholic cider, sherry or port. The question used to define the indicator was: Have you ever had even part of an alcoholic drink?	1. Yes 2. No X. Don't know/Refused
I_ALCO HOL12	2	\$\$_INDF	Lesson at school about alcohol	The indicator includes those had at least part of a lesson at school about alcohol. The question used to define the indicator was: During 2010 (last year), did you have any lessons or parts of lessons at school that were about drinking?	1. Yes 2. No X. Don't know/Refused
I_ALCO HOL2	2	\$\$_INDF	Consumed alcohol in the last year	The indicator includes those students who had an alcoholic drink in the last 12 months. The question used to define the indicator was: Have you had an alcoholic drink in the last 12 months?	1. Yes 2. No X. Don't know/Refused
I_ALCO HOL3	2	\$\$_INDF	Consumed alcohol in the last 4 weeks	The indicator includes those students who had an alcoholic drink in the last 4 weeks. The question used to define the indicator was: Have you had an alcoholic drink in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_ALCO HOL4	2	\$\$_INDF	Consumed alcohol in the last 7 days	The indicator includes those students who had an alcoholic drink in the last 7 days. The question used to define the indicator was: During the last 7 days, including yesterday, write the number of alcoholic drinks you had each day of	1. Yes 2. No X. Don't know/Refused

				the week.	
I_ALCO HOL6	2	\$\$_INDF	Consumed 4 or more drinks in a day in the last 7 days, students aged 12 to 17 years	The indicator includes those students who had 4 or more alcoholic drinks in a day during the last 7 days. The question used to define the indicator was: During the last 7 days, including yesterday, write the number of alcoholic drinks you had each day of the week.	1. Yes 2. No X. Don't know/Refused
I_ALCO HOLBUY	2	\$\$_INDF	Ever tried to buy alcohol	The indicator includes those students who had ever tried to buy alcohol. The question used to define the indicator was: Have you ever tried to buy alcohol at a hotel, pub, club, restaurant, nightclub, or bottle shop?	1. Yes 2. No X. Don't know/Refused
I_ALCO HOLDK	2	\$\$_INDF	Intended to get drunk when drinking alcohol, students aged 12 to 17 years who consumed alcohol in the last year	The indicator includes those students who had an alcoholic drink in the last year and intend to get drunk most times or every time. The questions used to define the indicator were: Have you had an alcoholic drink in the last 12 months? and How often on an occasion that you drink alcohol, do you intend to get drunk?	1. Yes 2. No X. Don't know/Refused
I_BREAD 1	2	\$\$_INDF	Adequate bread and cereal consumption	The indicator includes those students who usually consumed 5 or more serves a day. The question used to define the indicator was: How many serves of bread and/or cereal do you usually eat each day? (One serve of bread or cereal is 1 slice of bread, 1/2 bread roll, 1/2 cup breakfast cereal or 1/2 cup pasta or rice or noodles.)	1. Yes 2. No X. Don't Know/Refused
I_COCAI NE1	2	\$\$_INDF	Ever used cocaine	The indicator includes those students who have ever used or taken cocaine in their lifetime. The question used to define the indicator was: How many times, if ever, have you used or taken	1. Yes 2. No X. Don't know/Refused

				cocaine in your lifetime?	
I_COCAI NE2	2	\$\$_INDF	Cocaine use in the last 4 weeks	The indicator includes those students who used or took cocaine in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken cocaine in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_COCAI NE3	2	\$\$_INDF	Cocaine use in the last year	The indicator includes those students who used or took cocaine in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken cocaine in the last year?	1. Yes 2. No X. Don't know/Refused
I_COCAI NE4	2	\$\$_INDF	Cocaine use in the last week	The indicator includes those students who used or took cocaine in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken cocaine in the last week?	1. Yes 2. No X. Don't know/Refused
I_DENTA L_INJUR Y	2	\$\$_INDF	Ever had dental injuries	The indicator includes those students who had ever had a dental injury. The question used to define the indicator was: Which of the following dental injuries have you ever had? None; A tooth was completely knocked out; A tooth was loosened but not completely knocked out; A fractured tooth; Other (please specify)	1. Yes 2. No X. Don't know/Refused
I_DOPE1	2	\$\$_INDF	Ever used marijuana or cannabis	The indicator includes those students who have ever smoked or used marijuana or cannabis in their lifetime. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in your lifetime?	1. Yes 2. No X. Don't know/Refused



I_DOPE2	2	\$\$_INDF	Marijuana or cannabis use in the last 4 weeks	The indicator includes those students who smoked or used marijuana or cannabis in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_DOPE3	2	\$\$_INDF	Marijuana or cannabis use in the last year	The indicator includes those students who smoked or used marijuana or cannabis. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in the last year?	1. Yes 2. No X. Don't know/Refused
I_DOPE4	2	\$\$_INDF	Marijuana or cannabis use in the last week	The indicator includes those students who smoked or used marijuana or cannabis in the last week. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in the last week?	1. Yes 2. No X. Don't know/Refused
I_DRUNK_DRIVER	2	\$\$_INDF	In a car when driver appeared under the influence of alcohol	The indicator includes those students who have been in a car when the driver appeared to be under the influence of alcohol in the last 12 months. The question used to define the indicator was: In the last 12 months, have you been in a car when the driver appeared to be under the influence of alcohol?	1. Yes 2. No X. Don't know/Refused
I_ECSTASY1	2	\$\$_INDF	Ever used ecstasy	The indicator includes those students who have ever used or taken ecstasy. The question used to define the indicator was: How many times, if ever,	1. Yes 2. No X. Don't know/Refused

				have you used or taken ecstasy or XTC (E, MDMA, eccy, X, bickies) in your lifetime?	
I_ECSTA SY2	2	\$\$_INDF	Ecstasy use in the last 4 weeks	The indicator includes those students who used or took ecstasy in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken ecstasy or XTC (E, MDMA, eccy, X, bickies) in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_ECSTA SY3	2	\$\$_INDF	Ecstasy use in the last year	The indicator includes those students who used or took ecstasy in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken ecstasy or XTC (E, MDMA, eccy, X, bickies) in the last year?	1. Yes 2. No X. Don't know/Refused
I_ECSTA SY4	2	\$\$_INDF	Ecstasy use in the last week	The indicator includes those students who used or took ecstasy in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken ecstasy or XTC (E, MDMA, eccy, X, bickies) in the last week?	1. Yes 2. No X. Don't know/Refused
I_FRUIT1	2	\$\$_INDF	Adequate fruit consumption	The indicator includes those students who usually consumed 3 or more serves of fruit a day. The question used to define the indicator was: How many serves of fruit do you usually eat each day? (A serve is equivalent to 1 medium piece or 2 small pieces of fruit, or 1 cup of diced pieces of fruit.)	1. Yes 2. No X. Don't know/Refused
I_HEROI N1	2	\$\$_INDF	Ever used heroin or opiates	The indicator includes those students who have ever used or taken narcotics other than for medical reasons. The question used to define the indicator was: How many times, if ever, have you	1. Yes 2. No X. Don't know/Refused

				used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as methadone, morphine or pethidine, other than for medical reasons, in your lifetime?	
I_HEROI N2	2	\$\$_INDF	Heroin use in the last 4 weeks	The indicator includes those students who used or took heroin in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as methadone, morphine or pethidine, other than for medical reasons, in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_HEROI N3	2	\$\$_INDF	Heroin use in the last year	The indicator includes those students who used or took heroin in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as methadone, morphine or pethidine, other than for medical reasons, in the last year?	1. Yes 2. No X. Don't know/Refused
I_HEROI N4	2	\$\$_INDF	Heroin use in the last week	The indicator includes those students who used or took heroin in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as methadone, morphine or pethidine, other than for medical reasons, in the last week?	1. Yes 2. No X. Don't know/Refused
I_HOME WORK	2	\$\$_INDF	Three or more hours of homework on a school day	The indicator includes those students who spent 3 or more hours doing homework on a school day when not at school. The question used to define the indicator was: On an average school	1. Yes 2. No X. Don't know/Refused

				day, about how many hours a day do you spend doing homework when you are not at school?	
I_INHAL ANTS1	2	\$\$_INDF	Ever inhaled substances	The indicator includes those students who have ever deliberately sniffed (inhaled) substances to get high. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or deliberately sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in your lifetime? This does not include sniffing white-out, liquid paper, textas, markers or pens.	1. Yes 2. No X. Don't know/Refused
I_INHAL ANTS2	2	\$\$_INDF	Inhaled substances in the last 4 weeks	The indicator includes those students who deliberately sniffed (inhaled) substances to get high in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in the last 4 weeks? This does not include sniffing white-out, liquid paper, textas, markers or pens.	1. Yes 2. No X. Don't know/Refused
I_INHAL ANTS3	2	\$\$_INDF	Inhaled substances in the last year	The indicator includes those students who deliberately sniffed (inhaled) substances to get high in the last year. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in the last year? This does not	1. Yes 2. No X. Don't know/Refused

				include sniffing white-out, liquid paper, textas, markers or pens.	
I_INHALANTS4	2	\$\$_INDF	Inhaled substances in the last week	The indicator includes those students who deliberately sniffed (inhaled) substances to get high in the last week. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in the last week? This does not include sniffing white-out, liquid paper, textas, markers or pens.	1. Yes 2. No X. Don't know/Refused
I_INJURY1	2	\$\$_INDF	Injured in the last 6 months	The indicator includes those students who had been injured in the past 6 months: The question used to define the indicator was: In the past 6 months have you hurt yourself or had an injury for which you had to see a doctor, physiotherapist or another health professional?	1. Yes 2. No X. Don't know/Refused
I_LSD1	2	\$\$_INDF	Ever used hallucinogens	The indicator includes those students who have ever used or taken hallucinogens in their lifetime. The question used to define the indicator was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid, trips, magic mushrooms, datura, angel's trumpet) in your lifetime?	1. Yes 2. No X. Don't know/Refused
I_LSD2	2	\$\$_INDF	Hallucinogens use in the last 4 weeks	The indicator includes those students who used or took hallucinogens in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid,	1. Yes 2. No X. Don't know/Refused

				trips, magic mushrooms, datura, angel's trumpet) in the last 4 weeks?	
I_LSD3	2	\$\$_INDF	Hallucinogens use in the last year	The indicator includes those students who used or took hallucinogens in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid, trips, magic mushrooms, datura, angel's trumpet) in the last year?	1. Yes 2. No X. Don't know/Refused
I_LSD4	2	\$\$_INDF	Hallucinogens use in the last week	The indicator includes those students who used or took hallucinogens in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid, trips, magic mushrooms, datura, angel's trumpet) in the last week?	1. Yes 2. No X. Don't know/Refused
I_MENTAL1	2	\$\$_INDF	Unhappiness, sadness, or depression in the last six months	The indicator includes those students who felt unhappy or sad or depressed in the last 6 months. The question used to define the indicator was: During the last 6 months was there a time when you felt unhappy, sad or depressed?	1. Yes 2. No X. Don't know/Refused
I_MENTAL2	2	\$\$_INDF	Nervousness, stress, or pressure in the last six months	The indicator includes those students who felt nervous, stressed or under pressure in the last 6 months. The question used to define the indicator was: During the last 6 months was there a time when you felt nervous, stressed or under pressure?	1. Yes 2. No X. Don't know/Refused
I_MENTAL3	2	\$\$_INDF	In trouble because of behaviour in last 6 months	The indicator includes those students who were in trouble because of their behaviour. The question used to define the indicator was: During the last 6 months was there a time when you were in trouble because of your behaviour?	1. Yes 2. No X. Don't know/Refused

I_MENT AL4	2	\$\$_INDF	High psychological distress in the last 6 months	The indicator includes those students who answered, almost more than I could take, to questions about feelings of unhappiness, sadness or depression, nervousness, stress or pressure, or being in trouble because of their behaviour in the last 6 months. The questions used to define the indicator were: When you were feeling unhappy, sad or depressed how bad was it for you? When you were feeling nervous, stressed or under pressure how bad was it for you? When you were in trouble because of your behaviour how bad was it for you?	1. Yes 2. No X. Don't know/Refused
I_MENT AL8	2	\$\$_INDF	Problems that affected school performance in the last six months, Reference indicator only	The indicator includes those students who had problems studying at home or school that affected your performance in school tests and other work. The question used to define the indicator was: During the last 6 months was there a time when you had problems studying at home or school that affected your performance in school tests and other work?	1. Yes 2. No X. Don't know/Refused
I_MILK1	2	\$\$_INDF	Usually consumes lower fat milk	The indicator includes those students who usually have reduced fat or skim milk. The question used to define the indicator was: What type of milk do you usually have?	1. Yes 2. No X. Don't know/Refused
I_PA4	2	\$\$_INDF	Adequate physical activity	The indicator includes those students who did at least 60 minutes of moderate physical activity every day. The question used to define the indicator was: How many days in the last week have you done any vigorous or moderate physical activity for a total of at least 60 minutes? (This can be made	1. Yes 2. No X. Don't know/Refused

				up of different activities during the day like: cycling or walking to and from school, playing sport at lunchtime or after school, doing an exercise class, doing housework etc.)	
I_PILLS1	2	\$\$_INDF	Ever used painkillers or analgesics	The indicator includes those students who have ever used or taken painkillers or analgesics. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Nurofen, for any reason, in your lifetime?	1. Yes 2. No X. Don't know/Refused
I_PILLS2	2	\$\$_INDF	Painkiller or analgesic use in the last 4 weeks	The indicator includes those students who used or took painkillers or analgesics in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Nurofen, for any reason, in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_PILLS3	2	\$\$_INDF	Painkiller or analgesic use in the last year	The indicator includes those students who used or took painkillers or analgesics in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Nurofen, for any reason, in the last year?	1. Yes 2. No X. Don't know/Refused
I_PILLS4	2	\$\$_INDF	Painkiller or analgesic use in the last week	The indicator includes those students who used or took painkillers or analgesics in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Nurofen, for any reason, in the last week?	1. Yes 2. No X. Don't know/Refused



I_SEDEN TARY	2	\$\$_INDF	Two or more hours of sedentary behaviour when not at school	The indicator includes those students who spent 2 or more hours a day watching television, DVDs, videos, using the Internet or playing computer games. The question used to define the indicator was: On an average school day, about how many hours a day do you do the following when you are not at school: watch TV/Videos/DVDs; use the Internet/play computer games (not including for homework)?	1. Yes 2. No X. Don't know/Refused
I_SMOK E1	2	\$\$_INDF	Ever smoked tobacco	The indicator includes those students who have ever smoked tobacco. The question used to define the indicator was: Have you ever smoked even part of a cigarette?	1. Yes 2. No X. Don't know/Refused
I_SMOK E12	2	\$\$_INDF	Lesson at school about smoking cigarettes	The indicator includes those had at least part of a lesson at school about smoking cigarettes. The question used to define the indicator was: During 2010 (last year), did you have any lessons or parts of lessons at school that were about smoking cigarettes?	1. Yes 2. No X. Don't know/Refused
I_SMOK E14	2	\$\$_INDF	Would like to quit smoking, students aged 12 to 17 years who currently smoke	The indicator includes those students who would like to quit smoking. The questions used to define the indicator were: At the present time do you consider yourself a heavy or light or occasional smoker? and Would you like to quit smoking?	1. Yes 2. No X. Don't know/Refused
I_SMOK E1A	2	\$\$_INDF	Smoked more than 100 cigarettes in their life	The indicator includes those students who have smoked more than 100 cigarettes in their life. The question used to define the indicator was: Have you ever smoked even part of a cigarette?	1. Yes 2. No X. Don't know/Refused
I_SMOK	2	\$\$_INDF	Current tobacco smoker	The indicator includes those students	1. Yes

E2				who consider themselves to be heavy, light or occasional smokers. The question used to define the indicator was: At the present time, do you consider yourself: a heavy smoker, a light smoker, an occasional smoker, an ex-smoker, a non-smoker?	2. No X. Don't know/Refused
I_SMOK E3	2	\$\$_INDF	Smoked tobacco in the last 7 days	The indicator includes those students who have smoked tobacco in the last 7 days. The question used to define the indicator was: During the last 7 days, including yesterday, write the number of cigarettes you smoked each day of the week.	1. Yes 2. No X. Don't know/Refused
I_SMOK E5	2	\$\$_INDF	Smoked tobacco in the last year	The indicator includes those students who smoked in the last year. The question used to define the indicator was: Have you smoked cigarettes in the 12 months?	1. Yes 2. No X. Don't know/Refused
I_SMOK E6	2	\$\$_INDF	Smoked tobacco in the last 4 weeks	The indicator includes those students who smoked in the last 4 weeks. The question used to define the indicator was: Have you smoked cigarettes in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_SMOK E7	2	\$\$_INDF	Probably smoke cigarettes sometime in the next 6 months	The indicator includes those students who thought they would probably or definitely smoke in the next 6 months. The questions used to define the indicator were: Do you think you will smoke cigarettes sometime in the next 6 months?	1. Yes 2. No X. Don't know/Refused
I_SMOK EBUY	2	\$\$_INDF	Ever tried to buy cigarettes from a shop	The indicator includes those students who had have tried to buy cigarettes. The question used to define the indicator was: Have you ever tried to buy cigarettes from a shop?	1. Yes 2. No X. Don't know/Refused
I_SPEED	2	\$\$_INDF	Ever used amphetamines	The indicator includes those students	1. Yes

1				who have ever used or taken amphetamines. The question used to define the indicator was: How many times, if ever, have you used or taken amphetamines (for example, speed, uppers, goey, crystal meth, base, dex, dexies, dexamphetamines, ox blood, methamphetamine, ice) other than for medical reasons, in your lifetime?	2. No X. Don't know/Refused
I_SPEED 2	2	\$\$_INDF	Amphetamine use in the last 4 weeks	The indicator includes those students who have used or taken amphetamines in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken amphetamines (for example, speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) other than for medical reasons, in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_SPEED 3	2	\$\$_INDF	Amphetamine use in the last year	The indicator includes those students who have used or taken amphetamines in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken amphetamines (for example, speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) other than for medical reasons, in the last year?	1. Yes 2. No X. Don't know/Refused
I_SPEED 4	2	\$\$_INDF	Amphetamine use in the last week	The indicator includes those students who have used or taken amphetamines in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken amphetamines (for example, speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood,	1. Yes 2. No X. Don't know/Refused

				methamphetamine, ice) other than for medical reasons, in the last week?	
I_STERO IDS1	2	\$\$_INDF	Ever used steroids	The indicator includes those students who have ever used or taken steroids. The question used to define the indicator was: How many times, if ever, have you used or taken steroids (muscle, roids, or gear) without a doctor's prescription, in an attempt to make you better at sport, to increase muscle size or to improve your general appearance, in your lifetime?	1. Yes 2. No X. Don't know/Refused
I_STERO IDS2	2	\$\$_INDF	Steroid use in the last 4 weeks	The indicator includes those students who have used or taken steroids in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you taken steroids (muscle, roids, or gear) without doctor's prescription in an attempt to make you better at sport, to increase muscle size or to improve your general appearance, in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_STERO IDS3	2	\$\$_INDF	Steroid use in the last year	The indicator includes those students who have used or taken steroids in the last year. The question used to define the indicator was: How many times, if ever, have you taken steroids (muscle, roids, or gear) without doctor's prescription in an attempt to make you better at sport, to increase muscle size or to improve your general appearance, in the last year?	1. Yes 2. No X. Don't know/Refused
I_STERO IDS4	2	\$\$_INDF	Steroid use in the last week	The indicator includes those students who have used or taken steroids in the last week. The question used to define the indicator was: How many times, if ever, have you taken steroids (muscle,	1. Yes 2. No X. Don't know/Refused

				roids, or gear) without doctor's prescription in an attempt to make you better at sport, to increase muscle size or to improve your general appearance, in the last week?	
I_SUBSTANCE1	2	\$\$_INDF	Ever used more than one illicit substance	The indicator includes those students who have ever used more than one illicit substance. The questions used to define the indicator were: How many times, if ever, have you smoked or used marijuana or cannabis in your lifetime? How many times, if ever, have you used or taken amphetamines other than for medical reasons in your lifetime? How many times, if ever, have you used or taken ecstasy in your lifetime? How many times, if ever, have you used or taken cocaine in your lifetime? How many times, if ever, have you used or taken heroin your lifetime? How many times, if ever, have you used or taken hallucinogens in your lifetime?	1. Yes 2. No X. Don't know/Refused
I_SUBSTANCE5	2	\$\$_INDF	Lesson at school about illicit substances	The indicator includes those students who had at least part of a lesson at school that was about illicit drugs. The question used to define the indicator was: During 2010 (last year), did you have any lessons or parts of lessons at school that were about illicit drugs such as marijuana / cannabis, ecstasy, heroin, amphetamines (speed, uppers, goey, crystal meth, dexies, dexamphetamines, methamphetamine, ice), hallucinogens, or cocaine?	1. Yes 2. No X. Don't know/Refused
I_SUBSTANCE_D OPE	2	\$\$_INDF	Used substances on the same occasion as using marijuana or cannabis, students aged 12 to 17	The indicator includes those students who have used any other substance or substances on the same occasion that	1. Yes 2. No X. Don't know/Refused

			years who used marijuana or cannabis in the last year	they used marijuana / cannabis in the last year. The question used to define the indicator was: In the last year, did you use any other substance or substances on the same occasion that you used marijuana / cannabis?	
I_SUBSTANCE_SLEEP	2	\$\$_INDF	Used substances on the same occasion as using sleeping tablets, tranquiliser, sedative or benzodiazepine, students aged 12 to 17 years who used sleeping tablet, tranquiliser, sedative or benzodiazepine in the last year	The indicator includes those students who have used any other substance or substances on the same occasion that they used sleeping tablets, tranquilisers, sedatives or benzodiazepines in the last year. The question used to define the indicator was: In the last year, did you use any other substance or substances on the same occasion that you used sleeping tablets, tranquilisers, sedatives or benzodiazepines, such as Valium, Mogadon, Diazepam, Temazepam (Mazzies, Vallies, Moggies, Jellies), Serepax(Serries) or Rohypnol( Rohies, Barbs)?	1. Yes 2. No X. Don't know/Refused
I_SUBSTANCE_SPEED	2	\$\$_INDF	Used substances on the same occasion as using amphetamines, students aged 12 to 17 years who used amphetamines in the last year	The indicator includes those students who have used any other substance or substances on the same occasion that they used amphetamines in the last year. The question used to define the indicator was: In the last year, did you use any other substance or substances on the same occasion that you used amphetamines (e.g. speed, uppers, goey, crystal meth, base, dex, dexies, dexamphetamines, ox blood, methamphetamine, ice)?	1. Yes 2. No X. Don't know/Refused
I_SUN1	2	\$\$_INDF	Usually or always wears a hat sunny summer days	The indicator includes those students who usually or always wore a hat on sunny days in summer. The question used to define the indicator was:	1. Yes 2. No X. Don't know/Refused

				Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear a hat?	
I_SUN10	2	\$\$_INDF	Used solarium or sunbed at least once in the last year	This indicator includes those students who used a solarium or sun bed at least once in the past 12 months. The question used to define the indicator was: How many times have you used a solarium (sun bed) in the past 12 months?	1. Yes 2. No X. Don't know/Refused
I_SUN2	2	\$\$_INDF	Usually or always wears maximum protection sunscreen when outside for an hour or more on sunny summer days	The indicator includes those students who usually or always wore maximum protection sunscreen on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear maximum protection sunscreen (SPF30+)?	1. Yes 2. No X. Don't know/Refused
I_SUN3	2	\$\$_INDF	Usually or always stays mainly in the shade when outside for an hour or more on sunny summer days	The indicator includes those students who usually or always stay mainly in shade on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you stay mainly in the shade?	1. Yes 2. No X. Don't know/Refused
I_SUN4	2	\$\$_INDF	Usually or always wears clothes covering most of body when outside for an hour or more on sunny summer days	The indicator includes those students who usually or always wear clothes covering most of the body on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more	1. Yes 2. No X. Don't know/Refused

				between 11.00 a.m. and 3.00 p.m. how often would you wear clothes covering most of your body (including arms and legs)?	
I_SUN5	2	\$\$_INDF	Usually or always wears sunglasses when outside for an hour or more on sunny summer days	The indicator includes those students who usually or always wear sunglasses on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear sunglasses?	1. Yes 2. No X. Don't know/Refused
I_SUN6	2	\$\$_INDF	Usually or always spends most of the time inside on sunny summer days	The indicator includes those students who usually or always spend most of the time inside on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer when you are outside for an hour or more, between 11.00 a.m. and 3.00 p.m. how often would you spend most of the time inside?	1. Yes 2. No X. Don't know/Refused
I_SUN7	2	\$\$_INDF	Sunburnt at least once last summer	The indicator includes those students who got sunburnt last summer. The question used to define the indicator was: Over the last summer, did you get sunburn that was sore or tender the next day?	1. Yes 2. No X. Don't know/Refused
I_SUN9	2	\$\$_INDF	Agree with the statement that you only get skin cancer if you get burnt often	The indicator includes those students who strongly agree or agree with the statement that you only get skin cancer if you get burnt often. The question used to define the indicator: Please read the following statement and indicate your agreement on the scale (strongly disagree, disagree, neither agree nor disagree, agree or strongly agree). You only get skin cancer if you get burnt	1. Yes 2. No X. Don't know/Refused



				often.	
I_SUN9_2	2	\$\$_INDF	Agree with the statement skin cancer can be easily treated because it can be cut out	The indicator includes those students who strongly agree or agree with the statement that skin cancer can be easily treated because it can be cut out. The question used to define the indicator was: Please read the following statement and indicate your agreement on the scale (strongly disagree, disagree, neither agree nor disagree, agree or strongly agree). Skin cancer can be easily treated because it can be cut out.	1. Yes 2. No X. Don't know/Refused
I_SUN9_3	2	\$\$_INDF	Agree with the statement there is little chance that I will get skin cancers	The indicator includes those students who strongly agree or agree with the statement that you only get skin cancer if you get burnt often. The question used to define the indicator was: Please read the following statement and indicate your agreement on the scale (strongly disagree, disagree, neither agree nor disagree, agree or strongly agree). There is little chance that I will get skin cancers.	1. Yes 2. No X. Don't know/Refused
I_SUN9_4	2	\$\$_INDF	Agree with the statement a suntan protects you against skin cancers	The indicator includes those students who strongly agree or agree with the statement that a suntan protects you against skin cancers. The question used to define the indicators was: Please read the following statement and indicate your agreement on the scale (strongly disagree, disagree, neither agree nor disagree, agree or strongly agree). A suntan protects you against skin cancers.	1. Yes 2. No X. Don't know/Refused
I_SUNTA N	2	\$\$_INDF	Last summer tried to get a suntan at least once	The indicator includes those students who tried to get a suntan at least once	1. Yes 2. No

				last summer. The question used to define the indicator was: Over the last summer, did you try to get a suntan?	X. Don't know/Refused
I_TRAN Q1	2	\$\$_INDF	Ever used sleeping tablets, tranquilisers, sedatives or benzodiazepines other than for medical reasons	The indicator includes those students who ever used sleeping tablets, tranquilisers, sedatives or benzodiazepines for other than medical reasons. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquilisers, sedatives or benzodiazepines, such as Valium, Mogadon, Diazepam, Temazepam (Mazzies, Vallies, Moggies, Jellie), Serepax (Serries) or Rohypnol (Rohies, Barbs), other than for medical reasons, in your lifetime?	1. Yes 2. No X. Don't know/Refused
I_TRAN Q2	2	\$\$_INDF	Sedative or tranquilliser use in the last 4 weeks	The indicator includes those students who used sedatives or tranquillisers for other than medical reasons in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (Rohies, barbs) other than for medical reasons, in the last 4 weeks?	1. Yes 2. No X. Don't know/Refused
I_TRAN Q3	2	\$\$_INDF	Sedative or tranquilliser use in the last year	The indicator includes those students who used sedatives or tranquillisers for other than medical reasons in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons, in the last year?	1. Yes 2. No X. Don't know/Refused

I_TRAN Q4	2	\$\$_INDF	Sedative or tranquilliser use in the last week	The indicator includes those students who used sedatives or tranquillisers for other than medical reasons in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons, in the last week?	1. Yes 2. No X. Don't know/Refused
I_VEG1	2	\$\$_INDF	Adequate vegetable consumption	The indicator includes those students who usually consume 4 or more serves of vegetables a day. The question used to define the indicator was: How many serves of vegetables do you usually eat each day? (One serve is equal to 1/2 cup of cooked vegetables or 1 cup of salad vegetables.)	1. Yes 2. No X. Don't know/Refused
I_WATE R1	2	\$\$_INDF	Drink 5 or more cups of water per day	The indicator includes those students who usually drink 5 or more cups of water per day. The question used to define the indicator was: How many cups of water do you usually drink per day? (One cup equals 250 ml or a household teacup; 1 average bottle of water equals 1.5 cups).	1. Yes 2. No X. Don't know/Refused
I_WEIGH T1	2	\$\$_INDF	Overweight or obese	The indicator includes those students who were overweight or obese. The questions used to define the indicator were: How tall are you without shoes? and How much do you weigh without clothes or shoes?	1. Yes 2. No X. Don't know/Refused
I_WEIGH T2	2	\$\$_INDF	Obese	The indicator includes those students who were obese. The questions used to define the indicator were: How tall are you without shoes? and How much do you weigh without clothes or shoes?	1. Yes 2. No X. Don't know/Refused

I_WEIGHT3	2	\$\$_INDF	Overweight	The indicator includes those students who were overweight. The questions used to define the indicator were: How tall are you without shoes? and How much do you weigh without clothes or shoes?	1. Yes 2. No X. Don't know/Refused
I_WEIGHT5	2	\$\$_INDF	Perceived themselves as too fat	The indicator includes those students who perceive themselves as being too fat. The question used to define the indicator was: Do you think of yourself as being too thin, about the right weight, or too fat?	1. Yes 2. No X. Don't know/Refused
JUNKFOOD	8	JUNKFOOA	How many times in the last week did you eat a fast food meal?		1. Once 2. Twice 3. 3 times 4. 4 times 5. 5 times 6. 6 times 7. 7 or more times 8. None 77. Invalid response given 88. Multiple responses given 99. No response given
LANGUAGE	8	LANGUAGA	What is the main language spoken at home?		1. English 2. Another Language only 3. English and another language 77. Invalid response given 88. Multiple responses given 99. No response given
MINPA60	8	MINPA60A	How many days in the past week have you done any vigorous or moderate physical activity for a total of at least 60 minutes?		1. 1 day 2. 2 days 3. 3 days 4. 4 days 5. 5 days 6. 6 days 7. 7 days 8. No days in the last week

					77. Invalid response given 88. Multiple responses given 99. No response given
MODPA	8	MODPAA	Moderate physical activity for at least 30 minutes		1. None 2. Once 3. Twice 4. 3 times 5. 4 times 6. 5 times 7. 6 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
MOSTHOIN	8	MOSTHOIA	Spend most of the time inside?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses given 99. No response given
NSWSKN TYP11	8	NSWSKNTA	What would happen if skin exposed to strong sunshine without protection?		1. Just burn and not tan afterwards 2. Burn first and then tan afterwards 3. Not burn at all 4. Don't Know 77. Invalid response given 88. Multiple responses given 99. No response given
NUMAL C	8	NUMALCA	Out of every 100 people your age how many drink alcohol?		Enter value 777. Invalid response given 999. No response given
NUMAM PH	8	NUMAMPHA	Out of every 100 people your age how many use amphetamines?		Enter value 777. Invalid response given 999. No response given
NUMECS	8	NUMECSA	Out of every 100 people your age how many use ecstasy?		Enter value 777. Invalid response given 999. No response given

NUMHASH	8	NUMHASHA	Out of every 100 people your age how many use marijuana/cannabis?		Enter value 777. Invalid response given 999. No response given
NUMSMK	8	NUMSMKA	Out of every 100 people your age how many smoke cigarettes?		Enter value 777. Invalid response given 999. No response given
OUT15	8	OUT15A	Wear maximum protection sunscreen (SPF 30+)?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses given 99. No response given
OUTCLOTH	8	OUTCLOTA	Wear clothes covering most of your body		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses given 99. No response given
OUTGLSS	8	OUTGLSSA	Wear sunglasses?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses given 99. No response given
OUTHAT	8	OUTHATA	Wear a hat?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses given

					99. No response given
OUTINSHA	8	OUTINSHA	Stay mainly in the shade?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses given 99. No response given
OUTSTRI P	8	OUTSTRIA	Deliberately wear less or briefer clothing so as to get some sun on your skin?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses given 99. No response given
Q1	8	Q1A	How hard do you think it would be for someone to give up smoking?		1. Impossible 2. Very hard 3. Fairly hard 4. Not too hard 5. Easy 77. Invalid response given 88. Multiple responses given 99. No response given
Q10_BOT T	8	Q10_BOTA	How often have you been refused service in a bottle shop?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
Q10_HO TE	8	Q10_HOTA	How often have you been refused service in a hotel, pub or club?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses given 99. No response given

Q10_NIGH	8	Q10_NIGA	How often have you been refused service in a nightclub?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
Q10_RES T	8	Q10_RESA	How often have you been refused service in a restaurant?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
Q14_AGE C	8	Q14_AGEA	Type of document - Fake proof of age card		1. Yes 2. No
Q14_AL T	8	Q14_ALTA	Type of document - A genuine learner's or drivers license that has been altered		1. Yes 2. No
Q14_DR I	8	Q14_DRIA	Type of document - Fake learner's/driver's licence		1. Yes 2. No
Q14_FR I	8	Q14_FRIA	Type of document - Someone else's proof of age card/driver's licence		1. Yes 2. No
Q14_INV A	8	Q14_INVA	Type of document - Invalid response		1. Yes 2. No
Q14_MIS S	8	Q14_MISA	Type of document - No response given		1. Yes 2. No
Q14_OA C	8	Q14_OACA	Type of document - Stolen proof of age card		1. Yes 2. No
Q14_OL DL	8	Q14_OLDA	Type of document - Stolen learner's/driver's licence		1. Yes 2. No
Q14_OT HE	8	Q14_OTHA	Type of document - Other document		1. Yes 2. No
Q14_OU NS	8	Q14_OUNA	Type of document - Other unspecified		1. Yes 2. No
Q3_TAL L	8	Q3_TALLA	Height in cm		Height (cm) 7777. Invalid response given 9999. No response given



Q4	8	Q4A	Have you ever tried to buy cigarettes from a shop?		1. No 2. Yes 77. Invalid response given 88. Multiple responses given 99. No response given
Q4_WEIGH	8	Q4_WEIGA	Weight in kg		Weight (kg) 7777. Invalid response given 9999. No response given
Q6_MILK	8	Q6_MILKA	What type of milk do you usually have?		1. Whole milk 2. Reduced fat milk 3. Skim milk (including Shape) 4. Evaporated or sweetened condensed milk 5. None of the above 6. I don't know 77. Invalid response given 88. Multiple responses given 99. No response given
Q8	8	Q8A	Have you ever tried to buy alcohol at a hotel, pub, club, restaurant, nightclub or bottle shop?		1. No 2. Yes 77. Invalid response given 88. Multiple responses given 99. No response given
QUITAD S1	8	QUITADSA	Seen advertisements about quitting smoking? No		0. No 1. Yes
QUITAD S2	8	QUITADSA	Seen advertisements about quitting smoking? Magazines, newspapers		0. No 1. Yes
QUITAD S3	8	QUITADSA	Seen advertisements about quitting smoking? Internet		0. No 1. Yes
QUITAD S4	8	QUITADSA	Seen advertisements about quitting smoking? Shops, tobacconists		0. No 1. Yes
QUITAD S5	8	QUITADSA	Seen advertisements about quitting smoking? On billboards		0. No 1. Yes
QUITAD S6	8	QUITADSA	Seen advertisements about quitting smoking? Sports event		0. No 1. Yes

QUITAD S7	8	QUITADSA	Seen advertisements about quitting smoking? TV		0. No 1. Yes
QUITAD S8	8	QUITADSA	Seen advertisements about quitting smoking? Unsure		0. No 1. Yes
QUITAD S9	8	QUITADSA	Seen advertisements about quitting smoking? Invalid response		0. No 1. Yes
RCOC4	8	RCOC4A	Recoded used cocaine in last month		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RCOC7	8	RCOC7A	Recoded used cocaine in last week		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RCOCLF	8	RCOCLFA	Recoded used cocaine in lifetime		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown

					88. Multiple response 98. Inconsistent answer 99. No response given
RCOCYR	8	RCOCYRA	Recoded used cocaine in last year		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RDOPE4	8	RDOPE4A	Recoded used dope in last month		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RDOPE7	8	RDOPE7A	Recoded use dope in last week		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RDOPEL	8	RDOPELFA	Recoded used dope in lifetime		1. None

F					<ul style="list-style-type: none"> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RDOPEY R	8	RDOPEYRA	Recoded used dope in last year		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RECDEN OM	8	RECDENOA	Recoded strata of schools		<ul style="list-style-type: none"> <li>1. Govt schools</li> <li>2. Catholic schools</li> <li>3. Independent schools</li> </ul>
REFSER	8	REFSERA	The last time you tried to buy cigarettes, did the shopkeeper refuse you service?		<ul style="list-style-type: none"> <li>1. No</li> <li>2. Yes</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
RHEROI N4	8	RHEROINA	Recoded used heroin in last month		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> </ul>

					88. Multiple response 98. Inconsistent answer 99. No response given
RHEROI N7	8	RHEROINA	Recoded used heroin in last week		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RHERON LF	8	RHERONLA	Recoded used heroin in lifetime		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RHERON YR	8	RHERONYA	Recoded used heroin in last year		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RLSD4	8	RLSD4A	Recoded used hallucinogens in		1. None

			last month		<ul style="list-style-type: none"> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RLSD7	8	RLSD7A	Recoded used hallucinogens in last week		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RLSDLF	8	RLSDLFA	Recoded used hallucinogens in lifetime		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RLSDYR	8	RLSDYRA	Recoded used hallucinogens in last year		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> </ul>

					6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RPAINK4	8	RPAINK4A	Recoded used painkillers in last month		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RPAINK7	8	RPAINK7A	Recoded used painkillers in last week		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RPAINK LF	8	RPAINKLA	Recoded used painkillers in lifetime		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response

					98. Inconsistent answer 99. No response given
RPAINK YR	8	RPAINKYA	Recoded used painkillers in last year		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RROIDS4	8	RROIDS4A	Recoded used steroids in last month		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RROIDS7	8	RROIDS7A	Recoded used steroids in last week		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RROIDS LF	8	RROIDSLA	Recoded used steroids in lifetime		1. None 2. Once or twice



					<ul style="list-style-type: none"> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RROIDS YR	8	RROIDSYA	Recoded used steroids in last year		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RSNIFF4	8	RSNIFF4A	Recoded used inhalants in last month		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RSNIFF7	8	RSNIFF7A	Recoded used inhalants in last week		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> </ul>

					<p>7. 40 or more times  77. User, freq unknown  88. Multiple response  98. Inconsistent answer  99. No response given</p>
RSNIFFL F	8	RSNIFFLA	Recoded used inhalants in lifetime		<p>1. None  2. Once or twice  3. 3-5 times  4. 6-9 times  5. 10-19 times  6. 20-39 times  7. 40 or more times  77. User, freq unknown  88. Multiple response  98. Inconsistent answer  99. No response given</p>
RSNIFFY R	8	RSNIFFYA	Recoded used inhalants in last year		<p>1. None  2. Once or twice  3. 3-5 times  4. 6-9 times  5. 10-19 times  6. 20-39 times  7. 40 or more times  77. User, freq unknown  88. Multiple response  98. Inconsistent answer  99. No response given</p>
RSPEED4	8	RSPEED4A	Recoded used amphetamines in last month		<p>1. None  2. Once or twice  3. 3-5 times  4. 6-9 times  5. 10-19 times  6. 20-39 times  7. 40 or more times  77. User, freq unknown  88. Multiple response  98. Inconsistent answer</p>

					99. No response given
RSPEED7	8	RSPEED7A	Recoded used amphetamines in last week		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RSPEED LF	8	RSPEEDLA	Recoded used amphetamines in lifetime		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RSPEED YR	8	RSPEEDYA	Recoded used amphetamines in last year		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RTRANQ 4	8	RTRANQ4A	Recoded used tranquillisers in last month		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> </ul>

					<ul style="list-style-type: none"> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RTRANQ7	8	RTRANQ7A	Recoded used tranquillisers in last week		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RTRANQLF	8	RTRANQLA	Recoded used tranquillisers in lifetime		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
RTRANQYR	8	RTRANQYA	Recoded used tranquillisers in last year		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> </ul>

					77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RXTC4	8	RXTC4A	Recoded used ecstasy in last month		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RXTC7	8	RXTC7A	Recoded used ecstasy in last week		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given
RXTCLF	8	RXTCLFA	Recoded used ecstasy in lifetime		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. User, freq unknown 88. Multiple response 98. Inconsistent answer 99. No response given

RXTCYR	8	RXTCYRA	Recoded used ecstasy in last year		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. User, freq unknown</li> <li>88. Multiple response</li> <li>98. Inconsistent answer</li> <li>99. No response given</li> </ul>
SCH	8		School ID Code	For use in analysis to account for the complex survey design.	
SCHPAT T	8	SCHPATTA	School year levels	For use in analysis to account for the complex survey design.	<ul style="list-style-type: none"> <li>1. Years 7,8,9,10</li> <li>2. Years 11,12</li> <li>3. other - yrs 10 and 11</li> </ul>
SEENCIG INT	8	SEENCIGA	In the past month, how often have you seen people smoking cigarettes on the Internet		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Rarely</li> <li>3. Sometimes</li> <li>4. Often</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SEENCIG MOV	8	SEENCIGA	In the past month, how often have you seen people smoking cigarettes in movies		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Rarely</li> <li>3. Sometimes</li> <li>4. Often</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SEENCIG TV	8	SEENCIGA	In the past month, how often have you seen people smoking cigarettes in TV shows		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Rarely</li> <li>3. Sometimes</li> <li>4. Often</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>

SEENCIG VID	8	SEENCIGA	In the past month, how often have you seen people smoking cigarettes in video games		1. None 2. Rarely 3. Sometimes 4. Often 77. Invalid response given 88. Multiple responses given 99. No response given
SEX	8	SEXA	Student sex		1. Male 2. Female 77. Invalid response given 88. Multiple responses given 99. No response given
SINGLCI G	8	SINGLCIA	Bought cigarettes that were not in a full packet in the last 4 weeks?		1. Yes 2. No 77. Invalid response given 88. Multiple responses given 99. No response given
SKINBR NT	8	SKINBRNA	You only get skin cancer if you get sun burnt often		1. Strongly disagree 2. Disagree 3. Neither agree nor disagree 4. Agree 5. Strongly agree 6. Don't know 77. Invalid response given 88. Multiple responses given 99. No response given
SKINCH NC	8	SKINCHNA	There is little chance that I will get skin cancers		1. Strongly disagree 2. Disagree 3. Neither agree nor disagree 4. Agree 5. Strongly agree 6. Don't know 77. Invalid response given 88. Multiple responses given 99. No response given
SKINTNP R	8	SKINTNPA	A suntan protects you against skin cancers		1. Strongly disagree 2. Disagree

					<ul style="list-style-type: none"> <li>3. Neither agree nor disagree</li> <li>4. Agree</li> <li>5. Strongly agree</li> <li>6. Don't know</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SKINTRT	8	SKINTRTA	Skin cancer can be easily treated because it can be cut out		<ul style="list-style-type: none"> <li>1. Strongly disagree</li> <li>2. Disagree</li> <li>3. Neither agree nor disagree</li> <li>4. Agree</li> <li>5. Strongly agree</li> <li>6. Don't know</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SMKSCHL	8	SMKSCHLA	Any lessons/parts of lessons about smoking during 2010?		<ul style="list-style-type: none"> <li>1. No, not even part of a lesson</li> <li>2. Yes, part of a lesson</li> <li>3. Yes, one lesson</li> <li>4. Yes, more than one lesson</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SMOKE12	8	SMOKE12A	Have you smoked cigarettes in the last 12 months?		<ul style="list-style-type: none"> <li>1. Yes</li> <li>2. No</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SMOKE4	8	SMOKE4A	Have you smoked cigarettes in the last four weeks?		<ul style="list-style-type: none"> <li>1. Yes</li> <li>2. No</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SMOKE7	8	SMOKE7A	Has smoked in last 7 days		<ul style="list-style-type: none"> <li>0. No</li> <li>1. Yes</li> <li>77. Invalid response given</li> <li>99. No response given</li> </ul>



SMOKE7 DAYS	8		Total number days cigarettes smoked in the last 7 days		
SMOKE7 NUM	8		Total number of cigarettes smoked in the last 7 days		
SMOKN OW	8	SMOKNOW A	Current smoking status		<ul style="list-style-type: none"> <li>1. A heavy smoker</li> <li>2. A light smoker</li> <li>3. An occasional smoker</li> <li>4. An ex-smoker</li> <li>5. A non-smoker</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SNACKS	8	SNACKSA	How many times in the last week did you eat snacks?		<ul style="list-style-type: none"> <li>1. Once</li> <li>2. Twice</li> <li>3. 3 times</li> <li>4. 4 times</li> <li>5. 5 times</li> <li>6. 6 times</li> <li>7. 7 or more times</li> <li>8. None</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SOFTDR NK	8	SOFTDRNA	How many times in the last week did you drink a can of soft drink		<ul style="list-style-type: none"> <li>1. Once</li> <li>2. Twice</li> <li>3. 3 times</li> <li>4. 4 times</li> <li>5. 5 times</li> <li>6. 6 times</li> <li>7. 7 or more times</li> <li>8. None</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
SORE	8	SOREA	Over the last summer, did you get sunburn that was sore or tender the next day?		<ul style="list-style-type: none"> <li>1. Yes, just once</li> <li>2. Yes, 2 or 3 times</li> <li>3. Yes, 4 or more times</li> </ul>

					4. No, not at all 77. Invalid response given 88. Multiple responses given 99. No response given
STATEW TS	8		Sample weights	Weights for varying probabilities of selection between schools and students.	
STRENP A	8	STRENPAA	Frequency of vigorous physical activity in the last week		1. None 2. Once 3. Twice 4. 3 times 5. 4 times 6. 5 times 7. 6 or more times 77. Invalid response given 88. Multiple responses given 99. No response given
SUNTAN	8	SUNTANA	Over the last summer, did you try to get a suntan?		1. Yes, just once 2. Yes, 2 or 3 times 3. Yes, 4 or more times 4. No, not at all 77. Invalid response given 88. Multiple responses given 99. No response given
SURDAY	8		Day of survey		
TANLIK ED	8	TANLIKEA	Do you like to get a suntan?		1. No 2. Yes, a light tan 3. Yes, a moderate tan 4. Yes, a dark tan 5. Yes, a very dark tan 77. Invalid response given 88. Multiple responses given 99. No response given
TRANQ WHR	8	TRANQWHA	Where did you get tranquilizer		1. My parent(s) gave it to me 2. I am prescribed sedatives/tranquillisers by my doctor/paediatrician 3. My brother or sister gave it to me 4. I took it from home without parent(s)

					<ul style="list-style-type: none"> <li>permission</li> <li>5. I bought it from someone</li> <li>6. It was given to me by someone</li> <li>7. I traded or swapped someone</li> <li>8. Other</li> <li>9. I haven't/ none/ didn't etc</li> <li>77. Invalid response given</li> <li>88. Multiple response given</li> <li>99. No response given</li> </ul>
TV	8	TVA	TV: On an average school day, about how many hours a day do you do the following when you are not at school		<ul style="list-style-type: none"> <li>1. None</li> <li>2. 1 hour or less</li> <li>3. 2 hours</li> <li>4. 3 hours</li> <li>5. 4 hours</li> <li>6. 5 or more hours</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
VEGGIE S05	8		How many serves of vegetables do you usually eat each day?		
WATER	8	WATERA	How many cups of water do you usually drink per day?		<ul style="list-style-type: none"> <li>1. Number of cups per day</li> <li>2. I don't drink water</li> <li>3. I don't know</li> <li>77. Invalid response given</li> <li>88. Multiple responses given</li> <li>99. No response given</li> </ul>
WHOBUYAL	8	WHOBUYAA	If someone else bought alcohol who was this person		<ul style="list-style-type: none"> <li>1. Friend who is 18 or over</li> <li>2. Brother/Sister or other relative who is 18 or over</li> <li>3. Friend who is not yet aged 18</li> <li>4. Brother/Sister or other relative who is not yet 18</li> <li>5. Stranger who was able to buy alcohol</li> <li>6. Other specified</li> <li>20. Other unspecified</li> <li>24. Other adult</li> <li>77. Invalid response given</li> </ul>

					88. Multiple response given 99. No response given
WHOBUYCG	8	WHOBUYCA	If someone else bought cigarettes who was this person		1. Friend who is 18 or over 2. Brother/sister or other relative who is 18 or over 3. Friend who is not yet aged 18 4. Brother/sister or other relative who is not yet 18 5. Stranger who was able to buy alcohol 6. Other specified 20. Other unspecified 24. Other adult 77. Invalid response given 88. Multiple responses given 99. No response given
WT	8		Population weights	Weights for varying probability of selection and differences between the age and sex structure of the sample and the NSW student population. Should be used when calculating prevalence estimates.	
YEAR	\$4		Year of survey		
YRLEVEL	8	YRLEVELA	Student year level		1. Year 7 2. Year 8 3. Year 9 4. Year 10 5. Year 11 6. Year 12 77. Invalid response given 88. Multiple responses given 99. No response given