# **MPOX UPDATE**



# Information for GPs and clinicians in NSW - please distribute to all staff

- 1. Mpox cases are continuing to increase in Sydney and regional NSW
- 2. Have a low threshold for testing sexually active people with any symptoms
- 3. **Promote vaccination** in all men who have sex with men (MSM) and sex workers, and their sexual partners

# Mpox is increasing across NSW

- 236 notifications of mpox in NSW since mid-June
- All cases are male, almost all are MSM
- All cases in NSW are consistent with clade IIb.
- Transmission in both Sydney and regional NSW
- 13 people hospitalised
- Risk of mpox spreading to other population groups in NSW and of importation of the potentially more serious clade lb strain from Africa

# Mpox notifications by week, NSW, 2024 40 40 20 20 Jun 10 Jun 17 Jun 24 Jul 01 Jul 08 Jul 15 Jul 22 Jul 29 Aug 05 Aug 12 Aug 19 Aug 26 Sep 02 Week commencing

# Mpox can mimic other conditions (e.g. herpes, syphilis, tonsilitis, haemorrhoids)

- Presentations vary and include: 1-2 lesions, disseminated lesions, proctitis without visible lesions
- When present, lesions are usually on the anogenital area or mouth, but can occur anywhere
- Only some cases have a prodrome (fever, malaise, myalgia, and/or lymphadenopathy). Ask people with only the prodrome to return for testing if they develop further mpox symptoms

# Test all sexually active people with symptoms

- Test if symptomatic, regardless of vaccination status, sexual orientation or travel history
- Most at risk are: MSM (or undisclosed MSM exposures), sex workers and partners of these groups
- If testing for herpes simplex virus (HSV), test for mpox. It is preferable to collect a separate swab for mpox testing and store in a dry transport tube.
- Wear PPE, including gown, gloves, surgical mask, and eye protection
- For further testing advice: https://sti.guidelines.org.au/sexually-transmissible-infections/monkeypox/
- Advise patients to cover all lesions and abstain from sex while awaiting the result
- If positive, the public health unit (PHU) will contact the person with further advice. Please advise patients of this when testing.

# Check MSM have had both doses of vaccine and encourage vaccination for those at risk

- Vaccination is recommended and available at no cost to all gay, bisexual men and sex workers, and their sexual partners. Find a vaccine clinic: <a href="health.nsw.gov.au/mpox-clinics">health.nsw.gov.au/mpox-clinics</a>
- People who are not fully vaccinated and report sexual or other close contact with someone with mpox should be offered post-exposure preventive vaccination (PEPV). <a href="https://example.com/health.nsw.gov.au/mpox-pep">health.nsw.gov.au/mpox-pep</a>
- There have been no hospitalisations in people who have received two vaccinations

## Clade Ib circulating in Africa, Public Health Emergency International Concern (PHEIC) declared

- If mpox is suspected in a returned traveller or someone who has had contact with a returned traveller from Africa, call the PHU immediately on 1300 066 055
- See countries with clade lb: https://worldhealthorg.shinyapps.io/mpx\_global/#32\_Recent\_trends
- Mpox is not recommended as a travel vaccine, unless already in an eligible group in NSW as described here: <a href="https://www.health.nsw.gov.au/Infectious/factsheets/Pages/mpox-travel.aspx">https://www.health.nsw.gov.au/Infectious/factsheets/Pages/mpox-travel.aspx</a>

### **Further advice**

- A GP webinar is scheduled for 30th September. <a href="https://www.racgp.org.au/racgp-digital-events-calendar/online-event-items/webinars/stay-ahead-in-sexual-health-navigating-mpox-and-do">https://www.racgp.org.au/racgp-digital-events-calendar/online-event-items/webinars/stay-ahead-in-sexual-health-navigating-mpox-and-do</a>
- Additional information: health.nsw.gov.au/mpox
- Your local sexual health clinic (<u>health.nsw.gov.au/sexual-health-clinics</u>) or Sexual Health Info Link on 1800 451 624, Monday to Friday 9am 7pm; select option 1 for health professionals.

