

# 2012 Adult Health Survey Data Dictionary

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
A3	\$1	\$CA3F	Asthma interfere with daily life	During the past 4 weeks, did your asthma interfere with your ability to manage your day to day activities?	Single response	1. Yes 2. No R. Refused X. Don't know
A4	\$1	\$CA4F	Severity of asthma interference	Did it interfere with these activities:	Single response [Read out]	1. A little bit 2. Moderately 3. Quite a lot 4. Extremely R. Refused X. Don't Know
AGE	8		AGE : AGE IN YEARS - 0-11 months=0yrs 12-23 months=1yr (CALN)		Age in years	
ALC1	\$1	\$CALC1F	How often do you have an alcoholic drink	How often do you usually drink alcohol?	Single response [Prompt]	1. Record in days per week 2. Less than once per week 3. I don't drink alcohol R. Refused X. Don't know
ALC1A	8		How often do you have an alcoholic drink (Days per week)			
ALC2	\$1	\$CALC2F	Usual number of standard drinks per day	Alcoholic drinks are measured in terms of a "standard drink". A standard drink is equal to 1 middy of full-strength beer, 1 schooner of light beer, 1 small glass of wine or 1 pub-sized nip of spirits. On a day when you drink alcohol, how many standard drinks do you usually have?	Single response [Prompt]	1. Record number of drinks R. Refused X. Don't know
ALC2A	8		Usual number of standard drinks per day (Drinks per day)			

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
ARIAPLUSC	\$14	\$ARIAPLS	Remoteness Quintile		The Accessibility-Remoteness Index of Australia Plus (ARIA+) is the standard Australian Bureau of Statistics endorsed measure of remoteness. It is derived using the road distances from populated localities to the nearest service centres across Australia. ARIA+ is grouped into 5 categories: major cities, inner regional, outer regional, remote, and very remote, using postcodes from survey respondents.	1. Major Cities 2. Inner Regional 3. Outer Regional 4. Remote 5. Very Remote
AST1	\$1	\$CAST1F	Ever told by doctor have asthma	Have you ever been told by a doctor or at a hospital that you have asthma?	Single response	1. Yes 2. No R. Refused X. Don't know
AST10A	\$1	\$CST10AF	Frequency of Medication Use - Alvesco	How often did child use Alvesco in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10B	\$1	\$CST10BF	Frequency of Medication Use - Airomir	How often did you use Airomir in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10C	\$1	\$CST10CF	Frequency of Medication Use - Asmol	How often did you use Asmol in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
						nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10D	\$1	\$CST10DF	Frequency of Medication Use - Atrovent	How often did you use Atrovent in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10E	\$1	\$CST10EF	Frequency of Medication Use - Bricanyl	How often did you use Bricanyl in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10F	\$1	\$CST10FF	Frequency of Medication Use - Epaq	How often did you use Epaq in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10G	\$1	\$CST10GF	Frequency of Medication Use - Flixotide	How often did you use Flixotide in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
						3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10H	\$1	\$CST10HF	Frequency of Medication Use - Intal	How often did you use Intal in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10I	\$1	\$CST10IF	Frequency of Medication Use - Oxis	How often did you use Oxis in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10J	\$1	\$CST10JF	Frequency of Medication Use - Prednisone	How often did you use Prednisone in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10K	\$1	\$CST10KF	Frequency of Medication Use - Pulmicort	How often did you use Pulmicort in the last four	Single response [Read out]	1. Every day 2. More than 3 days

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
				weeks?		and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10L	\$1	\$CST10LF	Frequency of Medication Use - Qvar	How often did you use Qvar in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10M	\$1	\$CST10MF	Frequency of Medication Use - Seretide	How often did you use Seretide in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10N	\$1	\$CST10NF	Frequency of Medication Use - Serevent	How often did you use Serevent in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10O	\$1	\$CST10OF	Frequency of Medication Use -	How often did you use	Single response [Read out]	1. Every day

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
			Singulair	Singulair in the last four weeks?		2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10P	\$1	\$CST10PF	Frequency of Medication Use - Symbicort	How often did you use Symbicort in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10Q	\$1	\$CST10QF	Frequency of Medication Use - Ventolin	How often did you use Ventolin in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST2	\$1	\$CAST2F	Asthma symptoms or treatment in last 12mths	Have you had symptoms of asthma or taken treatment for asthma in the last 12 months?	Single response	1. Yes - symptoms 2. Yes - treatment 3. Yes - both 4. No R. Refused X. Don't know
AST9	\$20	\$C_MC_NA	Asthma medications used in last 12 months	What are the names or brands of all the medications you took for your asthma in the last 12 months?	[Multiple response]	

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
AST9_1	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Alvesco	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_2	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Airomir	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_3	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Asmol	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_4	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Atrovent	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_5	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Bricanyl	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_6	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Epaq	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_7	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Flixotide	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_8	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Intal	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_9	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Oxis	What are the names or brands of all the medications you took for	Part of multiple response question	0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
				your asthma in the last 12 months?		
AST9_10	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Prednisone	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_11	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Pulmicort	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_12	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Qvar	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_13	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Seretide	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_14	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Serevent	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_15	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Singulair	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_16	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Symbicort	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_17	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Ventolin	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
B2	8		Times bread eaten per day		Derived variable which combines daily, weekly/7 and monthly/30 and rarely or never eat bread consumption	
BC2	8		Times breakfast cereal eaten per day		Derived variable which combines daily, weekly/7 and monthly/30 and rarely or never eat breakfast cereal consumption	
BPLPA	\$1	\$CBPLPAF	Respondent Country of birth	In which country were you born?	Single response	1. Australia 2. Other [SPECIFY] R. Refused X. Don't know
CA8B	\$1	\$CCA8BF	Written asthma action plan	Do you have an asthma action plan, written instructions of what to do if your asthma is worse or out of control?	Single response	1. Yes 2. No R. Refused X. Don't know
CER1	8		Times eating breakfast cereal, breads, pasta, rice and noodles per day		Derived variable which combines daily, weekly/7 and monthly/30 and rarely or never eat bread, breakfast cereal and pasta, rice and noodles consumption	
CER1_CAT	\$21	\$CERFMTC	Frequency of eating breakfast cereal, breads, pasta, rice and noodles per day			1. Rarely or never 2. Less than once a day 3. Once a day 4. Twice a day 5. 3 times a day 6. 4 times a day 7. 5 times a day 8. 6 or more times a day
CNF114	\$1	\$CCNF14F	Cups of water drunk per day	How many cups of water do you usually drink in a day? 1 cup=250ml or a household tea cup. 1 average bottle of water = 1.5 cups.	Single response	1. Number of cups per day 2. Number of cups per week 3. Doesn't drink water R. Refused X. Don't know
CNF115	\$1	\$CCNF15F	Cups of cordial per day	How many cups of soft drink, cordials or sports drink, such as lemonade or	Single response	1. Cups per day 2. Cups per week 3. Doesn't drink soft

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
				Gatorade, do you usually drink in a day? 1 cup=250ml. One can of soft drink = 1.5 cups. One 500ml bottle of Gatorade = 2 cups.		drink R. Refused X. Don't know
CNFI6	\$1	\$CCNFI6F	Cups of fruit juice	How many cups of fruit juice do you usually drink in a day? 1 cup=250ml, a household tea cup or large popper	Single response	1. Answer in cups per day 2. Answer in cups per week 3. Doesn't drink juice R. Refused X. Don't know
CNFI6A	8		Cups of fruit juice	How many cups of fruit juice do you usually drink in a day? 1 cup=250ml, a household tea cup or large popper		
CNFI6B	8		Cups of fruit juice	How many cups of fruit juice do you usually drink in a day? 1 cup=250ml, a household tea cup or large popper		
CORDIAL	8		Cups of cordial drunk per week		Derived variable which combines cups of cordial consumed daily*7, weekly and do not drink soft drink	
D10	\$1	\$CD10F	Time since visiting diabetes educator for diabetes education	About how long is it since you consulted a diabetes educator for education about your diabetes/high blood sugar?	Single response [Prompt]	1. Less than 1 year ago 2. 1 year ago to less than 2 years ago 3. 2 years to less than 5 years ago 4. More than 5 years 5. Never R. Refused X. Don't know
D11	\$1	\$CD11F	Time since visiting dietician for dietary advice about diabetes	About how long is it since you consulted a dietician for dietary advice about diabetes?	Single response [Prompt]	1. Less than 1 year ago 2. 1 year ago to less than 2 years ago 3. 2 years to less than 5 years ago 4. More than 5 years

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
						5. Never R. Refused X. Don't know
D12	\$1	\$CD12F	Time since visiting podiatrist	About how long is it since you consulted a podiatrist to check for or treat diabetes-related foot problems? [INT NOTE: A podiatrist is a person who is specially trained to provide foot care?]	Single response [Prompt]	1. Less than 1 year ago 2. 1 year ago to less than 2 years ago 3. 2 years to less than 5 years ago 4. More than 5 years 5. Never R. Refused X. Don't know
D16	\$1	\$CD16F	Number of times diabetes interfered with daily activities	During the last 12 months did your diabetes/high blood glucose interfere with your ability to work, study or manage your day-to-day activities?	Single response	1. Yes 2. No R. Refused X. Don't know
D17	\$1	\$CD17F	How much interfered with activities	Did it interfere with these activities...	Single response [Read out]	1. A little bit 2. Moderately 3. Quite a lot 4. Extremely R. Refused X. Don't know
D8	\$1	\$D8F	Usual diabetes care provider	Who usually provides care for diabetes/high blood glucose?	Single response [Prompt]	1. GP or local doctor 2. Diabetes clinic 3. Medical specialist (includes joint care by GP & specialist) 4. Aboriginal health worker 5. Other (Specify) (includes nurse) 6. Area health service or community health centre R. Refused X. Don't know
D9	\$1	\$CD9F	Time since visiting eye specialist for eye related diabetes problems	About how long is it since you consulted an eye specialist to check for or	Single response [Prompt]	1. Less than 1 year ago 2. 1 year ago to less

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
				treat diabetes-related eye problems?		than 2 years ago 3. 2 years to less than 5 years ago 4. More than 5 years 5. Never R. Refused X. Don't know
DEM11	\$1	\$CDEM11F	Currently receive a pension or benefit	Do you currently receive a government pension, allowance or benefit?	Single response	1. Yes 2. No R. Refused X. Don't know
DEM13	\$1	\$CDEM13F	Private health insurance status	Apart from Medicare, are you currently covered by private health insurance?	Single response	1. Yes 2. No R. Refused X. Don't know
DISADVQT	8	DISQT	Socioeconomic Disadvantage Quintile		This index is calculated on attributes such as low income and educational attainment, high unemployment, and people working in unskilled occupations. The SEIFA index values are grouped into 5 quintiles, with quintile one being the least disadvantaged and quintile 5 being the most disadvantaged. SEIFA indexes were assigned based on respondents postcode of residence.	1. 1st Quintile least disadvantaged 2. 2nd Quintile 3. 3rd Quintile 4. 4th Quintile 5. 5th Quintile most disadvantaged
D_INT1	8		Number of eligible people living in the household (Derived)			
F1	8		Serves of fruit eaten per day		Derived variable	
FF1	8		Times hot fried potato products eaten per week			
FREQEX	8		Frequency exercising in last week(walk+mod+vig)			
FSC1	\$1	\$CFSC1F	Food insecurity in the last 12 months	In the last twelve months, were there any times that you ran out of food and couldn't afford to buy more?	Single response	1. Yes 2. No R. Refused X. Don't know
H3	8		Height in centimetres		Derived variable	
HM_BMI	8		Body Mass Index			

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
HM_CAT	\$1	\$HM_CAT	Body Mass Index Category			1. Underweight 2. Healthy weight 3. Overweight 4. Obesity
HRSP	8		Number of hours worked in last week	In the last week, how many hours did you work in all jobs?		
HSNUM	\$16		Unique Health Survey Number			
HSU14	\$1	\$CHSU14F	Difficulties in getting health care	Do you have any difficulties getting health care when you need it?	Single response	1. Yes 2. No 3. Don't need health care R. Refused X. Don't know
HSU15_1	\$1	\$C_MC_CD	Types of difficulties in getting health care : Waiting time for GP appointment	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_2	\$1	\$C_MC_CD	Types of difficulties in getting health care : Difficulty getting after hours GP appointment	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_3	\$1	\$C_MC_CD	Types of difficulties in getting health care : Shortage of GPs in area	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_4	\$1	\$C_MC_CD	Types of difficulties in getting health care : No bulk billing	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_5	\$1	\$C_MC_CD	Types of difficulties in getting health care : Difficulty in accessing specialists	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_6	\$1	\$C_MC_CD	Types of difficulties in getting health care : Waiting time for dental services	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_7	\$1	\$C_MC_CD	Types of difficulties in getting health care : Shortage of health services	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_8	\$1	\$C_MC_CD	Types of difficulties in getting health care : Emergency department waiting time	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_9	\$1	\$C_MC_CD	Types of difficulties in getting health care : Quality of treatment	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_10	\$1	\$C_MC_CD	Types of difficulties in getting health care : Waiting time for elective surgery	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_11	\$1	\$C_MC_CD	Types of difficulties in getting health care : Cost of health care services	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_12	\$1	\$C_MC_CD	Types of difficulties in getting health care : Other transport issues	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_13	\$1	\$C_MC_CD	Types of difficulties in getting health care : Other	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
HSU15_14	\$1	\$C_MC_CD	Types of difficulties in getting health care : Don't Know	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_15	\$1	\$C_MC_CD	Types of difficulties in getting health care : Refused	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU1A_1	\$1	\$C_MC_CD	Health service attended in last 12 months : Stayed for at least one night in hospital	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_2	\$1	\$C_MC_CD	Health service attended in last 12 months : A hospital emerg. dept. (or casualty) for medical care	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_3	\$1	\$C_MC_CD	Health service attended in last 12 months : [DO NOT USE UNLESS <5 YEARS]	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_4	\$1	\$C_MC_CD	Health service attended in last 12 months : A Government run community health centre	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_5	\$1	\$C_MC_CD	Health service attended in last 12 months : A Government dental service or dental hospital	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_6	\$1	\$C_MC_CD	Health service attended in last 12 months : A general practitioner	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_7	\$1	\$C_MC_CD	Health service attended in last 12 months : A specialist	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_8	\$1	\$C_MC_CD	Health service attended in last 12 months : Did not attend any of these services	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_9	\$1	\$C_MC_CD	Health service attended in last 12 months : Don't know	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_10	\$1	\$C_MC_CD	Health service attended in last 12 months : Refused	In the last 12 months, have you attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU2AH	\$1	\$CHS2AHF	Type of hospital for most recent overnight stay	Can you tell me if the overnight stay was at a public or private hospital?	Single response	1. Public Hospital 2. Private Hospital 3. Private Hospital attached to a Public Hospital R. Refused X. Don't know
HSU5GP	\$1	\$CHS5GPF	Last see a GP	When did you last see a	Single response	1. Within the last

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
				general practitioner?		week 2. 1 to 2 weeks ago 3. 2 weeks to 1 month ago 4. between 1 and 6 months 5. 6 to 12 months ago R. Refused X. Don't know
HSU6CH	\$1	\$CHS6CHF	Rating of care for most recent community health centre visit	Overall, what do you think of the care you received at the community health centre you last attended? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6ED	\$1	\$CHS6EDF	Rating of care for most recent emergency department visit	Overall, what do you think of the care you received at the emergency department you last attended?	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6GP	\$1	\$CHS6GPF	Rating of care for most recent GP visit	Overall, what do you think of the care you received at the most recent GP visit? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6H	\$1	\$CHSU6HF	Rating of care for most recent overnight hospital stay	Overall, what do you think of the care you received at the last hospital you attended? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6PD	\$1	\$CHS6PDF	Rating of care for most recent public dental service visit	Overall, what do you think of the care you received at the most recent public dental service visit? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
						R. Refused X. Don't know
HSU6S	\$1	\$CHSU6SF	Rating of care for most recent specialist visit stay	Overall, what do you think of the care you received at the specialist you last attended? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HWT1	\$1	\$CHWT1F	Height in centimetres	Now a few questions about your height and weight. How tall are you without shoes?	Single response	1. Record in centimetres OR 2. Record in Feet and Inches R. Refused X. Don't know (probe for best estimate before accepting)
HWT2	\$1	\$CHWT2F	Weight in kilograms	How much do you weigh without clothes or shoes?	Single response	1. Answer in Kilograms OR 2. Answer in Stones and Pounds (14 pounds in a stone) R. Refused X. Don't know (Probe for best estimate before accepting)
IMM2	\$1	\$CIMM2F	Vaccinated against influenza in last 12 months	vaccinated or immunised against flu in the past 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
IMM4A	\$1	\$CIMM4AF	When last pneumococcal vaccination	When were you last vaccinated or immunised against pneumonia?	Single response	1. Within the last 12 months 2. 12 months to 5 years ago 3. More than 5 years ago 4. Never Vaccinated R. Refused X. Don't know
INC2	\$1	\$CINC2F	Household income	I would now like to ask you about your	Single response [Read out]	2. less than \$20,000 3. \$20,000-\$40,000

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
				HOUSEHOLD'S income. What is your annual HOUSEHOLD income before tax? Would it be:		4. \$40,000-\$60,000 5. \$60,000-\$80,000 6. More than \$80,000 R. Refused X. Don't know
I_ALCOHOL1B	\$2	\$\$_INDF	More than 2 standard drinks on a day when consuming alcohol		The indicator includes those who drink more than 2 standard drinks on a day when they drink alcohol.	1. Yes 2. No X. Don't Know/Refused
I_ASTHMA2	\$2	\$\$_INDF	Current asthma		The indicator includes those who had symptoms of asthma or treatment for asthma in the last 12 months. The questions used to define the indicator were: Have you ever been told by a doctor or hospital you have asthma? Have you had symptoms of asthma or treatment for asthma in the last 12 months?	1. Yes 2. No X. Don't Know/Refused
I_BMI	\$2	\$\$_INDF	Overweight or obese		The indicator includes those who are overweight or obese: that is with a Body Mass Index (BMI) of 25.0 or higher. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes? For 18 years and over, BMI is calculated as follows: $BMI = \text{weight (kg)} / \text{height(m)}^2$ . Categories for this indicator include overweight (BMI from 25.0 to 29.9) and obese (BMI of 30.0 and over). For 16-17 year olds, the same categories are used but are linked to international cut off points defined by sex to pass through a BMI of 16, 17, and 18.5 (for underweight), 25 (for overweight), and 30 (for obesity) at age 18 years [Cole et al. 2000; Cole et al. 2007].	1. Yes 2. No X. Don't Know/Refused
I_BMI2	\$2	\$\$_INDF	Obese		The indicator includes those who are obese: that is, with a Body	1. Yes 2. No

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
					Mass Index (BMI) of 30.0 or higher. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes? For 18 years and over, BMI is calculated as follows BMI = weight(kg)/height(m) <sup>2</sup> . For 16-17 year olds, the same categories are used but are linked to international cut off points defined by sex to pass through a BMI of 16, 17, and 18.5 (for underweight), 25 (for overweight), and 30 (for obesity) at age 18 years [Cole et al. 2000; Cole et al. 2007].	X. Don't Know/Refused
I_BMI30	\$2	\$\$S_INDF	Overweight		The indicator includes those who are overweight: that is, with a Body Mass Index (BMI) from 25.0 to 29.9. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes? For 18 years and over, BMI is calculated as follows BMI = weight(kg)/height(m) <sup>2</sup> . For 16-17 year olds, the same categories are used but are linked to international cut off points defined by sex to pass through a BMI of 16, 17, and 18.5 (for underweight), 25 (for overweight), and 30 (for obesity) at age 18 years [Cole et al. 2000; Cole et al. 2007].	1. Yes 2. No X. Don't Know/Refused
I_DIAB1	\$2	\$\$S_INDF	Diabetes or high blood glucose		The indicator includes those who either had diabetes or high blood glucose but did not have gestational diabetes. The questions used to define the indicator were: Have you ever been told by a doctor or hospital you have diabetes? Have you ever been told by a doctor or hospital	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
					you have high blood glucose? If female, Were you pregnant when you were first told you had diabetes or high blood glucose? Have you ever had diabetes or high blood glucose apart from when you were pregnant?	
I_ED1	\$2	\$\$_INDF	Emergency department presentation in the last 12 months		The indicator includes those who presented to an emergency department in the last 12 months. The question used to define the indicator was: In the last 12 months, have you attended a hospital emergency department or casualty for your own medical care?	1. Yes 2. No X. Don't Know/Refused
I_ED2	\$2	\$\$_INDF	Emergency department care rated as excellent, very good or good, adults aged 16 years and over who presented to an emergency department in the last 12 months		The indicator includes those who presented to an emergency department in the last 12 months who rated their care as excellent, very good, or good for the most recent visit. The questions used to define the indicator were: In the last 12 months, have you attended a hospital emergency department or casualty for your own medical care? Overall what do you think of the care you received at this emergency department: Was it excellent, very good, good, fair, or poor?	1. Yes 2. No X. Don't Know/Refused
I_FLU	\$2	\$\$_INDF	Vaccinated against influenza in the last 12 months, adults aged 50 years and over		The indicator includes those aged 50 years and over who were vaccinated or immunised against influenza in the last 12 months. The question used to define the indicator was: Were you vaccinated or immunised against flu in the last 12 months?	1. Yes 2. No X. Don't Know/Refused
I_FLU1	\$2	\$\$_INDF	Vaccinated against influenza in the last 12 months, adults aged 65 years and over		The indicator includes those aged 65 years and over who were vaccinated or immunised against influenza in the last 12 months.	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
					The question used to define the indicator was: Were you vaccinated or immunised against flu in the last 12 months?	
I_FOOD	\$2	\$\$_INDF	Food insecurity in the last 12 months		The indicator includes those who had suffered some food insecurity in the last 12 months. The question used to define the indicator was: In the last 12 months, were there any times you ran out of food and could not afford to buy more?	1. Yes 2. No X. Don't Know/Refused
I_FRUIT	\$2	\$\$_INDF	Two or more serves of fruit a day		The indicator includes those who consumed 2 or more serves of fruit a day. The recommended fruit intake is at least 2 serves a day for persons aged 19 years and over, depending on their overall diet. For simplification, this recommendation is applied to 16-18 year olds. One serve is equivalent to 1 medium piece or 2 small pieces of fruit. The question used to define the indicator was: How many serves of fruit do you usually eat each day?	1. Yes 2. No X. Don't Know/Refused
I_HDIFF1	\$2	\$\$_INDF	Difficulties getting health care when needing it		The indicator includes those who had difficulties getting health care when they needed it. It excludes those who said they do not need health care. The question used to define the indicator was: Do you have any difficulties getting health care when you need it?	1. Yes 2. No X. Don't Know/Refused
I_HOSP1	\$2	\$\$_INDF	Hospital admission in the last 12 months		The indicator includes those admitted to hospital in the last 12 months. The question used to define the indicator was: In the last 12 months, have you stayed for at least 1 night in hospital?	1. Yes 2. No X. Don't Know/Refused
I_HOSP2	\$2	\$\$_INDF	Hospital care rated as excellent, very good or good, adults aged 16 years and over who were admitted to hospital in the last 12 months		The indicator includes those admitted to hospital in the last 12 months who rated their care as excellent, very good, or good for the most recent overnight stay. The	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
					<p>questions used to define the indicator were: In the last 12 months, have you stayed for at least 1 night in hospital? Overall what do you think of the care you received at this hospital: Was it excellent, very good, good, fair, or poor?</p>	
I_HSTAT	\$2	\$\$_INDF	Excellent, very good, or good self-rated health status		<p>The indicator includes those responding excellent, very good, or good to a global self-rated health status question. The question used to define the indicator was: Overall, how would you rate your health during the last 4 weeks: Was it excellent, very good, good, fair, poor, or very poor?</p>	<p>1. Yes 2. No X. Don't Know/Refused</p>
I_PHYSACT	\$2	\$\$_INDF	Adequate physical activity		<p>The indicator includes those who did adequate physical activity. Adequate physical activity is a total of 150 minutes a week on 5 separate occasions. The total minutes were calculated by adding minutes in the last week spent walking continuously for at least 10 minutes, minutes doing moderate physical activity, plus 2 x minutes doing vigorous physical activity. The questions used to define the indicator were: In the last week, how many times have you walked continuously for at least 10 minutes for recreation or exercise or to get to or from places? What do you estimate was the total time you spent walking in this way in the last week? In the last week, how many times did you do any vigorous physical activity that made you breathe harder or puff and pant? What do you estimate was the total time you spent doing this vigorous physical activity in the last week?</p>	<p>1. Yes 2. No X. Don't Know/Refused</p>

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
					In the last week, how many times did you do any other more moderate physical activity that you have not already mentioned?	
I_SMOKE2	\$2	\$\$_INDF	Current smoking		The indicator includes those who smoked daily or occasionally. The question used to define the indicator was: Which of the following best describes your smoking status: smoke daily, smoke occasionally, do not smoke now but I used to, I have tried it a few times but never smoked regularly, or I have never smoked?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE2D	\$2	\$\$_INDF	Daily smoking		The indicator includes those who smoked daily. The question used to define the indicator was: Which of the following best describes your smoking status: smoke daily, smoke occasionally, do not smoke now but I used to, I have tried it a few times but never smoked regularly, or I have never smoked?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE4	\$2	\$\$_INDF	Lives in smoke-free households		The indicator includes those who indicated their home was smoke-free. The question used to define the indicator was: Which of the following best describes your home situation: my home is smoke-free, people occasionally smoke in the house, or people frequently smoke in the house?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE4C	\$2	\$\$_INDF	Bans smoking in car, adults aged 16 years and over who own a car		The indicator includes those who indicated their car was smoke-free. The question used to define the indicator was: Are people allowed to smoke in your car?	1. Yes 2. No X. Don't Know/Refused
I_VEG	\$2	\$\$_INDF	Five or more serves of vegetables a day		The indicator includes those who consumed 5 or more serves of vegetables a day. The recommended vegetable intake is at least 5 serves a day for persons aged 16 years and over,	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
					depending on their overall diet. One serve is equivalent to 1/2 cup of cooked vegetables or 1 cup of salad vegetables. The question used to define the indicator was: How many serves of vegetables do you usually eat each day?	
LANPA	\$1	\$CLANPAF	Speak a language other than English at home	Do you usually speak a language other than English at home?	Single response	1. Yes 2. No R. Refused X. Don't know
LFS	\$1	\$CLFSF	Actively looking for work	Were you actively looking for work in the last week?	Single response	1. Yes - Looked for Full-time work 2. Yes - Looked for Part-time work 3. No - Did not look for work R. Refused X. Don't know
LFSP	\$1	\$CLFSPF	Current employment status	In the last week, which of the following best describes your employment status?	Single response [Read out]	1. A salary or wage earner or conducting a business 2. A salary or wage earner or conducting a business but absent on paid 3. Unpaid work in a family business 4. Other unpaid work 5. Did not have a job R. Refused X. Don't know/Not sure
LHN	\$4	\$LHNLFMT	lhn: Local Health Network (LHN) Reported			X700. Sydney X710. South Western Sydney X720. South Eastern Sydney X730. Illawarra Shoalhaven X740. Western Sydney X750. Nepean Blue

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
						Mountains X760. Northern Sydney X770. Central Coast X800. Hunter New England X810. Northern NSW X820. Mid North Coast X830. Southern NSW X840. Murrumbidgee and Albury LGA X850. Western NSW X860. Far West
LHN_REGION	\$4	\$LHNLFMT	lhn_region: LHN region code			Y880. Metropolitan Y888. Rural-regional
LHS	\$4	\$CLHDF	Local Health Strata (code)			X700. Sydney X710. South Western Sydney X720. South Eastern Sydney X730. Illawarra Shoalhaven X740. Western Sydney X750. Nepean Blue Mountains X760. Northern Sydney X770. Central Coast X800. Hunter New England X810. Northern NSW X820. Mid North Coast X830. Southern NSW X840. Murrumbidgee

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
						X850. Western NSW X860. Far West X921. Albury (Victoria in-reach)
M2	8		Times meat products usually eaten per week		Derived variable	
MINEX	8		Minutes spent exercising in last week(minwalk+minmod+minvig*2)			
MINMOD	8		Minutes spent exercising moderately in last week			
MINVIG	8		Minutes spent exercising vigorously in last week			
MINWALK	8		Minutes spent walking in last week			
MSTP	\$1	\$CMSTPF	Formal marital status	What is your current formal marital status? Are you... (READ OPTIONS 1-5)	Single response	1. Married (this refers to registered marriages) 2. Widowed 3. Separated but not divorced 4. Divorced 5. Never married R. Refused X. Don't know
MTWP2_1	\$1	\$C_MC_CD	Usual transport to work : Train	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_2	\$1	\$C_MC_CD	Usual transport to work : Bus	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_3	\$1	\$C_MC_CD	Usual transport to work : Ferry	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_4	\$1	\$C_MC_CD	Usual transport to work : Tram (including light rail)	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_5	\$1	\$C_MC_CD	Usual transport to work : Taxi	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_6	\$1	\$C_MC_CD	Usual transport to work : Car - as driver	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_7	\$1	\$C_MC_CD	Usual transport to work : Car- as passenger	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_8	\$1	\$C_MC_CD	Usual transport to work : Truck	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_9	\$1	\$C_MC_CD	Usual transport to work : Motorbike or motor scooter	How do you usually get to work?	Part of multiple response question	0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
MTWP2_10	\$1	\$C_MC_CD	Usual transport to work : Bicycle	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_11	\$1	\$C_MC_CD	Usual transport to work : Walk only	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_12	\$1	\$C_MC_CD	Usual transport to work : Work at home	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_13	\$1	\$C_MC_CD	Usual transport to work : Walk part of the way	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_14	\$1	\$C_MC_CD	Usual transport to work : Other	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_15	\$1	\$C_MC_CD	Usual transport to work : Don't know	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_16	\$1	\$C_MC_CD	Usual transport to work : Refused	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_17	\$1	\$C_MC_CD	Usual transport to work : Other active transport (horse etc)	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
N65PLS	8		Number of people 65+ in household			
NUT1	\$1	\$CNUT1F	Serves of vegetables usually eaten per day	How many serves of vegetables do you usually eat each day? One serve is half a cup cooked or 1 cup of salad vegetables.	Single response	1. Answer in serves per day 2. Answer in serves per week 3. Don't eat vegetables R. Refused X. Don't know
NUT12	\$1	\$CNUT12F	Red meat consumption	How often do you eat red meat such as beef, lamb, liver and kidney but not pork or ham?	Single Response	1 Answer in times per day 2 Answer in times per week 3 Answer in times per month 4 Rarely/never X Don't know R Refused
NUT13	\$1	\$CNUT13F	Fast food consumption	How often do you have meals or snacks such as burgers, pizza, chicken or chips from places like McDonalds, Hungry Jacks, Pizza Hut, KFC, Red Rooster, or local take-away places?	Single response	1. Times per week 2. Times per month 3. Rarely/Never R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
NUT15	\$1	\$CNUT15F	Times hot fried potato products usually eaten per week	How often do you eat hot chips, French fries, wedges or fried potatoes?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely or never R. Refused X. Don't know
NUT16	\$1	\$CNUT16F	Times fried and salty snack products usually eaten per week	How often do you eat potato crisps or other salty snacks such as Twisties or corn chips?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely or never R. Refused X. Don't know
NUT17	8		Knowledge of recommended fruit serves	How many serves of fruit do you think you should eat each day to be healthy?		
NUT18	8		Knowledge of recommended vegetable serves	How many serves of vegetables do you think you should eat each day to be healthy?		
NUT2	\$1	\$CNUT2F	Serves of fruit usually eaten per day	How many serves of fruit do you usually eat each day? A serve is 1 medium piece or 2 small pieces of fruit or 1 cup of diced pieces.	Single response	1. Answer in serves per day 2. Answer in serves per week 3. Don't eat fruit R. Refused X. Don't know
NUT3B	\$1	\$CNUT3BF	Times bread usually eat per day	How often do you usually eat bread? Include bread rolls, flat breads, crumpets, bagels, English or bread type muffins.	Single response	1. Record times per day 2. Record times per week 3. Record times per month 4. Rarely or never R. Refused X. Don't Know
NUT4BA	\$1	\$CNT4BAF	Times breakfast cereal usually eaten	How often do you eat	Single response	1. Record times per

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
			per day	breakfast cereal?		day 2. Record times per week 3. Record times per month 4. Rarely or never R. Refused X. Don't Know
NUT5BA	\$1	\$CNT5BAF	Times cooked pasta usually eaten per day	How often do you eat pasta, rice, noodles or other cooked cereals?	Single response	1. Record times per day 2. Record times per week 3. Record times per month 4. Rarely or never R. Refused X. Don't Know
NUT6	\$1	\$NUT6F	Type of milk usually have	What type of milk do you usually have?	Single response	1. Regular milk (whole or full cream) 2. Low /reduced fat milk 3. Skim milk 4. Evaporated or sweetened milk 5. Other 6. Don't have milk R. Refused X. Don't know
NUT7	\$1	\$CNUT7F	Times meat products usually eaten per week	How often do you eat processed meat products such as sausages, frankfurts, devon, salami, hamburgers, chicken nuggets, meat pies, bacon or ham?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely or never R. Refused X. Don't know
P2	8		Times cooked pasta usually eaten per day		Derived variable	
PAC1	8		Number of times walked in last week	In the last week, how many times have you walked continuously for at least 10 minutes for recreation or		

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
				exercise or to get to or from places?		
PAC7	8		Number of times exercised vigorously in last week	The next question excludes household chores or gardening. In the last week, how many times did you do any vigorous physical activity which made you breathe harder or puff and pant? (eg: football, tennis, netball, squash, athletics, cycling, jogging, keep-fit exercises and vigorous swimming).		
PAC9	8		Number of times spent exercising moderately in last week	This next question does not include household chores or gardening. In the last week, how many times did you do any other more moderate physical activity that you haven't already mentioned? (eg: lawn bowls, golf, tai chi, and sailing).		
Q2	8		Times hot fried potato products usually eaten per week		Derived variable	
QALLP	\$1	\$QALLPF	Highest qualification completed	What is the level of the highest qualification you have completed?	Single response	<ol style="list-style-type: none"> <li>1. Completed School Certificate/ Intermediate/ Year 10/4th Form....</li> <li>2. Completed HSC/Leaving/Year 12/ 6th Form</li> <li>3. TAFE Certificate or Diploma</li> <li>4. University, CAE or some other tertiary institute degree or higher</li> <li>5. Other</li> <li>6. Completed primary school</li> <li>7. Completed years</li> </ol>

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
						7-9 R. Refused X. Don't know
SEX	\$4	\$CSEXF	Respondent/Child sex			1. Male 2. Female
SEX1	\$1	\$CSEX1F	Sexual intercourse in last 12 months	Have you had sexual intercourse in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
SEX2	\$1	\$CSEX2F	Sexual intercourse with more than one person in the last 12 months	Have you had sexual intercourse with more than one person in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
SEX3	\$1	\$CSEX3F	Use condoms every time during sexual intercourse	Do you use condoms every time you have sexual intercourse?	Single response	1. Yes 2. No R. Refused X. Don't know
SEX4	\$1	\$CSEX4F	Diagnosed with Chlamydia in last 12 months	Have you been diagnosed with Chlamydia in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
SMK1	\$1	\$CSMK1F	Personal Smoking Status	Which of the following best describes your smoking status?	Single response [Read out]	1. I smoke daily 2. I smoke occasionally 3. I don't smoke now, but I used to 4. I've tried it a few times but never smoked regularly 5. I've never smoked R. Refused X. Don't know
SMK16	\$1	\$CSMK16F	Car smoking status	Are people allowed to smoke in your car?	Single response	1. Yes 2. No 3. Don't have a car R. Refused X. Don't know
SMK2	\$1	\$CSMK2F	Home smoking status	Which of the following best describes your home situation?	Single response [Read out]	1. My home is smoke free (includes smoking is allowed outside only) 2. People occasionally smoke

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
						in the house 3. People frequently smoke in the house R. Refused X. Don't know
SMK3	\$1	\$CSMK3F	Intention to quit smoking	Which of the following best describes how you feel about your smoking?	Single response [Read out]	1. I am not planning on quitting within the next six months 2. I am planning on quitting within the next six months... 3. I am planning on quitting within the next month 4. I have not smoked in the past 24 hours but was smoking six months ago 5. I have not been smoking in the past six months R. Refused X. Don't know
SMKSW	\$1	\$CSMKSWF	Doctor discussing quitting smoking [ADULT]	The last time you went to your GP, did the doctor discuss your smoking and advise you to quit smoking?	Single response	1. Yes 2. No R. Refused X. Don't know
W3	8		Weight in kilograms		Derived variable	
WGT	8		Post-Stratification Weight		Annual weights for varying probability of selection and differences between the age and sex structure of the sample and the population (age *sex*health administration area). Should be used when calculating prevalence estimates.	
YEAR	8		Survey Year			
Z2	8		Times chips etc usually eaten per week		Derived variable	