

2014 Adult Health Survey Data Dictionary

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
AGE	8		Age in years		0-11 months=0yrs 12-23 months=1yr	
AIN14	\$1	\$AIN14F	Justification for proxy survey being undertaken	Would you please tell me why this person is not able to take part in the study?	Single response	1. Temporary illness (very sick in bed. In hospital) 2. Too confused (has dementia, Alzheimer's) 3. Deaf 4. Had stroke 5. Other [specify] 6. Unavailable for duration of the study R. Refused X. Don't know
ALC1	\$1	\$CALC1F	ALC1 : How often have an alcoholic drink			
ALC10	\$1	\$CALC10F	Concerned about your drinking	Has a relative, friend, doctor or other health care worker been concerned about your drinking or suggested you cut down?	Single response [Probe]	1. No 2. Yes, but not in the last year 3. Yes, during the last year R. Refused X. Don't know
ALC11	\$1	\$CALC11F	Drinking 6 or more	How often do you have six or more standard drinks on one occasion?	Single response [Read out]	1. Daily or almost daily 2. Weekly 3. Monthly 4. Less than monthly 5. Never R. Refused X. Don't know
ALC13_1	\$1	\$C_MC_CD	Actions after drinking : Created a public disturbance or nuisance	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_2	\$1	\$C_MC_CD	Actions after drinking : Caused damage to property	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_3	\$1	\$C_MC_CD	Actions after drinking : Verbally abused someone	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_4	\$1	\$C_MC_CD	Actions after drinking : Physically threatened someone	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_5	\$1	\$C_MC_CD	Actions after drinking : Hit someone or had a fight	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_6	\$1	\$C_MC_CD	Actions after drinking : Had to go to a hospital emergency department	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_7	\$1	\$C_MC_CD	Actions after drinking : Been admitted to hospital overnight	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_8	\$1	\$C_MC_CD	Actions after drinking : Had an injury that needed to be seen by a doctor	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_9	\$1	\$C_MC_CD	Actions after drinking : Missed school/work/university/TAFE	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_10	\$1	\$C_MC_CD	Actions after drinking : Tried drugs	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_11	\$1	\$C_MC_CD	Actions after drinking : Been in trouble with the police	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_12	\$1	\$C_MC_CD	Actions after drinking : Other (please specify)	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_13	\$1	\$C_MC_CD	Actions after drinking : None of the above	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_14	\$1	\$C_MC_CD	Actions after drinking : Don't know	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC13_15	\$1	\$C_MC_CD	Actions after drinking : Refused	In the past year, after drinking alcohol have you	Part of multiple response question	0. No 1. Yes
ALC14	\$1	\$CALC14F	Can't stop drinking	How often during the last year have you found that you were not able to stop drinking once you had started?	Single response [Read out]	1. Daily or almost daily 2. Weekly 3. Monthly 4. Less than monthly 5. Never R. Refused X. Don't know
ALC15	\$1	\$CALC15F	Failing to carry out normal duties	How often during the last year have you failed to do what was normally expected of you because of drinking?	Single response [Read out]	1. Daily or almost daily 2. Weekly 3. Monthly 4. Less than monthly 5. Never R. Refused X. Don't know
ALC1A	8		How often in days per week have an alcoholic drink			
ALC1B	8		How often drink alcohol in days per month			
ALC1X	\$1	\$CALC1XF	How often do you drink alcohol	How often do you usually drink alcohol?	Single response [Prompt]	1. Record in days per week 2. Record in days per month 3. Less than once per month 4. I don't drink alcohol R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
ALC2	\$1	\$CALC2F	Usual number of standard drinks per day	Alcoholic drinks are measured in terms of a "standard drink". A standard drink is equal to 1 middy of full-strength beer, 1 schooner of light beer, 1 small glass of wine or 1 pub-sized nip of spirits. On a day when you drink alcohol, how many standard drinks do you usually have?	Single response [Prompt]	1. Record number of drinks R. Refused X. Don't know
ALC2A	8		How many standard drinks per day			
ALC3AX	\$1	\$CLC3AXF	More than 4 standard drinks on one occasion	In the past four weeks have you had more than 4 standard drinks on one occasion?	Single response	1. Yes 2. No R. Refused X. Don't know
ALC3X	\$1	\$CALC3XF	More than 2 drinks in a day in past 4 weeks	In the past four weeks have you had more than 2 standard drinks in a day?	Single response	1. Yes 2. No R. Refused X. Don't know
ALC6	\$1	\$CALC6F	Morning drink after session	How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	Single response [Read out]	1. Daily or almost daily 2. Weekly 3. Monthly 4. Less than monthly 5. Never R. Refused X. Don't know
ALC7	\$1	\$CALC7F	Feeling guilty after drinking	How often during the last year have you had a feeling of guilt or remorse after drinking?	Single response [Read out]	1. Daily or almost daily 2. Weekly 3. Monthly 4. Less than monthly 5. Never R. Refused X. Don't know
ALC8	\$1	\$CALC8F	Can't remember previous night	How often during the last year have you been unable to remember what happened the night before because you had been drinking?	Single response [Read out]	1. Daily or almost daily 2. Weekly 3. Monthly 4. Less than monthly 5. Never R. Refused X. Don't know
ALC9	\$1	\$CALC9F	Injured you/others due to your drinking	Have you or someone else been injured because of your drinking?	Single response [Probe]	1. No 2. Yes, but not in the last year 3. Yes, during the last year R. Refused X. Don't know
ARIAPLUSC	\$14	\$ARIAPLS	Remoteness quintile		Derived variable. The Accessibility-Remoteness Index of Australia Plus (ARIA+) is the standard Australian Bureau of Statistics endorsed measure of remoteness. It is derived using the road distances from populated localities to the nearest service centres across Australia. ARIA+ is grouped into 5 categories: major cities, inner regional, outer regional, remote, and very remote, using postcodes from survey respondents.	1. Major Cities 2. Inner Regional 3. Outer Regional 4. Remote 5. Very Remote
AST1	\$1	\$CAST1F	Ever told by doctor have asthma	Have you ever been told by a doctor or at a hospital that you have asthma?	Single response	1. Yes 2. No R. Refused X. Don't know
AST2	\$1	\$CAST2F	Asthma symptoms or treatment in last 12 months	Have you had symptoms of asthma or taken treatment for asthma in the last 12 months?	Single response	1. Yes - symptoms 2. Yes - treatment 3. Yes - both 4. No R. Refused X. Don't know
AST9_1	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Airomir	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_2	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Alvesco	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_3	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Apo salbutamol	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_4	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Asmol	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_5	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Atrovent	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_6	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Bricanyl	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_7	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Butamol	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
AST9_8	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Flixotide	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_9	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Foradile	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_10	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Intal	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_11	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Ipratrin	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_12	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Nuelin	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_13	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Onbrez	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_14	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Oxis	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_15	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Prednisone	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_16	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Pulmicort	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_17	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Qvar	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_21	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Seretide	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_22	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Serevent	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_23	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Singular	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_24	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Spiriva	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_25	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Symbicort	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_26	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Tilade	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_27	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Ventolin	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_28	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Other	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_29	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Don't know	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
AST9_30	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Refused	What are the names or brands of all the medications you took for your asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
ASTE	\$1	\$CASTEF	Doctor visits for asthma	Have you visited your GP for your asthma in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
ASTE1A	\$5	\$CSTE1AF	Number of urgent doctor visits for asthma	How many of these visits were urgent visits, for example, because of worsening asthma or asthma attacks?		88888. Don't know 99999. Refused No. No of visits
ASTE1B	\$5	\$CSTE1BF	Number of script only visits for asthma	How many of these visits were prescription only visits?		88888. Don't know 99999. Refused No. No of visits
ASTE1C	\$5	\$CSTE1CF	Number of planned review visits for asthma	How many of these visits were planned reviews, for example, review of symptoms or medications?		88888. Don't know 99999. Refused No. No of visits
ASTE2	\$1	\$CASTE2F	Frequency of asthma symptoms	In the last 4 weeks, how often have you had asthma symptoms?	Single response	1. Every day 2. 3 or more days a week 3. 1-2 days a week 4. Less than once a week 5. Not at all R. Refused X. Don't know
ASTE3A	\$1	\$CSTE3AF	Asthma waking at night	In the last 4 weeks, how many times have you woken up because of your asthma?	Single response	1. Every night 2. Once or more a week 3. Less than once a week 4. Not at all R. Refused X. Don't know
ASTM1	\$1	\$CASTM1F	Frequency of medication use - Airomir	How often did you use Airomir in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM10	\$1	\$CSTM10F	Frequency of medication use - Intal	How often did you use Intal in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM11	\$1	\$CSTM11F	Frequency of medication use - Ipratrin	How often did you use Ipratrin in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM12	\$1	\$CSTM12F	Frequency of medication use - Nuelin	How often did you use Nuelin in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM13	\$1	\$CSTM13F	Frequency of medication use - Onbrez	How often did you use Onbrez in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM14	\$1	\$CSTM14F	Frequency of medication use - Oxis	How often did you use Oxis in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM15	\$1	\$CSTM15F	Frequency of medication use - Prednisone	How often did you use Prednisone in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM16	\$1	\$CSTM16F	Frequency of medication use - Pulmicort	How often did you use Pulmicort in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
ASTM17	\$1	\$CSTM17F	Frequency of medication use - Qvar	How often did you use Qvar in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM18	\$1	\$CSTM18F	Frequency of medication use - Redipred	How often did you use Redipred in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM19	\$1	\$CSTM19F	Frequency of medication use - Respax	How often did you use Respax in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM2	\$1	\$CASTM2F	Frequency of medication use - Alvesco	How often did you use Alvesco in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM20	\$1	\$CSTM20F	Frequency of medication use - Salbutamol	How often did you use Salbutamol in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM21	\$1	\$CSTM21F	Frequency of medication use - Seretide	How often did you use Seretide in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM22	\$1	\$CSTM22F	Frequency of medication use - Serevent	How often did you use Serevent in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM23	\$1	\$CSTM23F	Frequency of medication use - Singulair	How often did you use Singulair in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM24	\$1	\$CSTM24F	Frequency of medication use - Spiriva	How often did you use Spiriva in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM25	\$1	\$CSTM25F	Frequency of medication use - Symbicort	How often did you use Symbicort in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM26	\$1	\$CSTM26F	Frequency of medication use - Tilade	How often did you use Tilade in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM27	\$1	\$CSTM27F	Frequency of medication use - Ventolin	How often did you use Ventolin in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
ASTM28	\$1	\$CSTM28F	Frequency of other medication used	How often did you use this medication in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM3	\$1	\$CASTM3F	Frequency of medication use - Apo salbutamol	How often did you use Apo salbutamol in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM4	\$1	\$CASTM4F	Frequency of medication use - Asmol	How often did you use Asmol in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM5	\$1	\$CASTM5F	Frequency of medication use - Atrovent	How often did you use Atrovent in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM6	\$1	\$CASTM6F	Frequency of medication use - Bricanyl	How often did you use Bricanyl in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM7	\$1	\$CASTM7F	Frequency of Medication Use - Butamol	How often did you use Butamol in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTM8	\$1	\$CASTM8F	Frequency of medication use - Flixotide	How often did you use Flixotide in the last four weeks?	Single response [Read out]	1. Not at all 2. Varies/as required 3. Less than once a week 4. 1-3 days and/or nights a week 5. More than 3 days and/or nights a week 6. Every day 7. Every day plus as required R. Refused X. Don't know
ASTOTH	8		Name of other asthma medication		Derived variable	
B2	8		Times bread eaten per day		Derived variable which combines daily, weekly/7 and monthly/30 and rarely or never eat bread consumption	
BC2	8		Times breakfast cereal eaten per day		Derived variable which combines daily, weekly/7 and monthly/30 and rarely or never eat breakfast cereal consumption	
BPLPA	\$1	\$CBPLPAF	Respondent's country of birth	In which country were you born?	Single response	1. Australia 2. Other [SPECIFY] R. Refused X. Don't know
CA8B	\$1	\$CCA8BF	Written asthma action plan	Do you have an asthma action plan, written instructions of what to do if your asthma is worse or out of control?	Single response	1. Yes 2. No R. Refused X. Don't know
CAN1	\$1	\$CCAN1F	Cannabis smoking status	Which of the following best describes your marijuana or hashish smoking status?	Single response [Read out]	1. I smoke daily 2. I smoke occasionally 3. I don't smoke now, but I used to 4. I've tried it a few times but never smoked regularly 5. I've never smoked R. Refused X. Don't know
CMOBG1A	\$1	\$CCMBG1F	Main carer contact number for child health survey	Could you please confirm your best contact number/give me the best contact number of the main carer	Single response	1. Yes the same number 0 2. Preferred number
CNF5B	\$1	\$CCNF5BF	Take tablets or capsules containing 0.5mg folate in month prior to pregnancy	Did you take capsules or tablets containing at least 0.5mg of folate daily in the month immediately before you became pregnant?	Single response	1. Yes daily 2. Yes regularly but not daily 3. Yes sometimes 4. No 5. Not applicable not the birth mother R. Refused X. Don't know
CNF6B	\$1	\$CCNF6BF	Take tablets or capsules containing 0.5mg folate in first 3 months of pregnancy	Did you take capsules or tablets containing at least 0.5mg of folate daily in the first three months of this pregnancy?	Single response	1. Yes daily 2. Yes regularly but not daily 3. Yes sometimes 4. No 5. Not applicable not the birth mother R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
CNF114	\$1	\$CCNF14F	Cups of water drunk	How many cups of water do you usually drink in a day? 1 cup=250ml or a household tea cup. 1 average bottle of water = 1.5 cups.	Single response	1. Number of cups per day 2. Number of cups per week 3. Doesn't drink water R. Refused X. Don't know
CNF115	\$1	\$CCNF15F	Cups of cordial per day	How many cups of soft drink, cordials or sports drink, such as lemonade or Gatorade, do you usually drink in a day? 1 cup=250ml. One can of soft drink = 1.5 cups. One 500ml bottle of Gatorade = 2 cups.	Single response	1. Cups per day 2. Cups per week 3. Doesn't drink soft drink R. Refused X. Don't know
CNF116	\$1	\$CCNF16F	Cups of fruit juice	How many cups of fruit juice do you usually drink in a day? 1 cup=250ml, a household tea cup or large popper	Single response	1. Answer in cups per day 2. Answer in cups per week 3. Doesn't drink juice R. Refused X. Don't know
CNF16A	8		Cups of fruit juice per day	How many cups of fruit juice do you usually drink in a day? 1 cup=250ml, a household tea cup or large popper		
CNF16B	8		Cups of fruit juice per week	How many cups of fruit juice do you usually drink in a day? 1 cup=250ml, a household tea cup or large popper		
D10	\$1	\$CD10F	Time since visiting diabetes educator for diabetes education	About how long is it since you consulted a diabetes educator for education about your diabetes/high blood sugar?	Single response [Prompt]	1. Less than 1 year ago 2. 1 year ago to less than 2 years ago 3. 2 years to less than 5 years ago 4. More than 5 years ago 5. Never R. Refused X. Don't know
D11	\$1	\$CD11F	Time since visiting dietician for dietary advice about diabetes	About how long is it since you consulted a dietician for dietary advice about diabetes?	Single response [Prompt]	1. Less than 1 year ago 2. 1 year ago to less than 2 years ago 3. 2 years to less than 5 years ago 4. More than 5 years ago 5. Never R. Refused X. Don't know
D12	\$1	\$CD12F	Time since visiting podiatrist	About how long is it since you consulted a podiatrist to check for or treat diabetes-related foot problems?	Single response [Prompt]	1. Less than 1 year ago 2. 1 year ago to less than 2 years ago 3. 2 years to less than 5 years ago 4. More than 5 years ago 5. Never R. Refused X. Don't know
D16	\$1	\$CD16F	Did diabetes interfere with daily activities	During the last 12 months did your diabetes/high blood glucose interfere with your ability to work, study or manage your day-to-day activities?	Single response	1. Yes 2. No R. Refused X. Don't know
D17	\$1	\$CD17F	How much interfered with activities	Did it interfere with these activities...	Single response [Read out]	1. A little bit 2. Moderately 3. Quite a lot 4. Extremely R. Refused X. Don't know
D8	\$1	\$D8F	Usual diabetes care provider	Who usually provides care for your diabetes/high blood glucose?	Single response [Prompt]	1. GP or local doctor 2. Diabetes clinic 3. Medical specialist (includes joint care by GP & specialist) 4. Aboriginal health worker 5. Other (Specify) (includes nurse) 6. Area health service or community health centre R. Refused X. Don't know
D9	\$1	\$CD9F	Time since visiting eye specialist for eye related diabetes problems	About how long is it since you consulted an eye specialist to check for or treat diabetes-related eye problems?	Single response [Prompt]	1. Less than 1 year ago 2. 1 year ago to less than 2 years ago 3. 2 years to less than 5 years ago 4. More than 5 years ago 5. Never R. Refused X. Don't know
DA1	8		Time sitting on a weekday calculation		Derived variable	
DA2	8		Time sitting on a weekday calculation		Derived variable	
DA3	8		Minutes spent sitting on a weekday in last week		Derived variable	
DEM11	\$1	\$CDEM11F	Currently receive a pension or benefit	Do you currently receive a government pension, allowance or benefit?	Single response	1. Yes 2. No R. Refused X. Don't know
DEM13	\$1	\$CDEM13F	Private health insurance status	Apart from Medicare, are you currently covered by private health insurance?	Single response	1. Yes 2. No R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
DISADVQT	8	DISADV	Socioeconomic disadvantage quintile		Derived variable. This index is calculated on attributes such as low income and educational attainment, high unemployment, and people working in unskilled occupations. The SEIFA index values are grouped into 5 quintiles, with quintile one being the least disadvantaged and quintile 5 being the most disadvantaged. SEIFA indexes were assigned based on respondents postcode of residence	1. 1st Quintile least disadvantaged 2. 2nd Quintile 3. 3rd Quintile 4. 4th Quintile 5. 5th Quintile most disadvantaged
D_B2	8		Times bread eaten per day		Derived variable which combines daily, weekly/7 and monthly/30 and rarely or never eat bread consumption	
D_BC2	8		Times breakfast cereal eaten per day		Derived variable which combines daily, weekly/7 and monthly/30 and rarely or never eat breakfast cereal consumption	
D_BMI	8		Body Mass Index			
D_BMI_CAT	\$1	\$HM_CAT	Body Mass Index Category Recalc			1. Underweight 2. Healthy weight 3. Overweight 4. Obesity
D_BMI_CAT_ORIG	\$1	\$HM_CAT	Body Mass Index Category (ORIGINAL VERSION)			1. Underweight 2. Healthy weight 3. Overweight 4. Obesity
D_BMI_CAT_TRUNC	\$1	\$HM_CAT	Body Mass Index Category Trunc			1. Underweight 2. Healthy weight 3. Overweight 4. Obesity
D_CER1	8		Times eating breakfast cereal, breads, pasta, rice and noodles per day		Derived variable which combines daily, weekly/7 and monthly/30 and rarely or never eat bread, breakfast cereal and pasta, rice and noodles consumption	
D_CER1_CAT	\$21	\$CERFMTC	Frequency of eating breakfast cereal, breads, pasta, rice and noodles per day			1. Rarely or never 2. Less than once a day 3. Once a day 4. Twice a day 5. 3 times a day 6. 4 times a day 7. 5 times a day 8. 6 or more times a day
D_CORDIAL	8		Cups of cordial, soft drink or energy drink drunk per week		Derived variable which combines cups of cordial consumed daily*7, weekly and do not drink soft drink	
D_F1	8		Serves of fruit eaten per day		Derived variable which combines serves of fruit measured per day, weekly/7 and do not eat fruit	
D_FF1	8		Times hot fried potato products eaten per week		Derived variable which combines daily*7, weekly and monthly/4 and rarely or never eat fried potato products.	
D_FREQEX	8		Frequency exercising in last week		Derived variable from PAC1, PAC7 and PAC9 using the formula PAC1+PAC7+PAC9	
D_INT1A	8		Number of people in household (LL and Mobile)			
D_INT1D	8		Number of children aged 0-5 years in household (LL and Mobile)			
D_INT1F	8		Number of children in household (LL and Mobile)			
D_JUICE	8		Cups of juice drunk per day		Derived variable which includes daily, weekly/7 and does not drink fruit juice	
D_MINEX	8		Minutes spent exercising in last week		Derived variable combining minutes of walking (minwalk) plus minutes if moderate exercise (minmod) plus double the minutes of vigorous exercise (minvig)	
D_MINMOD	8		Minutes spent exercising moderately in last week		Derived variable combining time in hours*60 with time in minutes	
D_MINVIG	8		Minutes spent exercising vigorously in last week		Derived variable combining time in hours*60 with time in minutes	
D_MINWALK	8		Minutes spent walking in last week		Derived variable combining time in hours*60 with time in minutes	
D_N65PLS	8		Number of people 65+ in household		Derived variable combining single person households when the respondent is aged 65 years and over with the responses to the question Can you please tell me, how many people aged 65 years old or over, live in this household?	
D_P2	8		Times cooked pasta eaten per day		Derived variable which combines daily, weekly/7, monthly/30 and rarely or never pasta, rice and cooked cereal consumption.	
D_V1	8		Serves of vegetables eaten per day		Derived variable which combines serves of vegetables measured per day, per week/7 and do not eat vegetables	
F1	8		Serves of fruit eaten per day		Derived variable which combines serves of fruit measured per day, weekly/7 and do not eat fruit	
FSC1	\$1	\$CFSC1F	Food insecurity in the last 12 months	In the last twelve months, were there any times that you ran out of food and couldn't afford to buy more?	Single response	1. Yes 2. No R. Refused X. Don't know
H3	8		Height (cm)		Derived variable which combines height measured in centimetres with height measured in feet*30.5 and inches*2.54	
HRSP	8		Number of hours worked in last week	In the last week, how many hours did you work in all jobs?		
HSNUM	\$16		Unique health survey number		Unique health survey number	
HSU14	\$1	\$CHSU14F	Difficulties in getting health care	Do you have any difficulties getting health care when you need it?	Single response	1. Yes 2. No 3. Don't need health care R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
HSU15_1	\$1	\$C_MC_CD	Types of difficulties in getting health care : Waiting time for GP appointment	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_2	\$1	\$C_MC_CD	Types of difficulties in getting health care : Difficulty getting after hours GP appointment	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_3	\$1	\$C_MC_CD	Types of difficulties in getting health care : Shortage of GPs in area	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_4	\$1	\$C_MC_CD	Types of difficulties in getting health care : No bulk billing	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_5	\$1	\$C_MC_CD	Types of difficulties in getting health care : Difficulty in accessing specialists	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_6	\$1	\$C_MC_CD	Types of difficulties in getting health care : Waiting time for dental services	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_7	\$1	\$C_MC_CD	Types of difficulties in getting health care : Shortage of health services	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_8	\$1	\$C_MC_CD	Types of difficulties in getting health care : Emergency department waiting time	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_9	\$1	\$C_MC_CD	Types of difficulties in getting health care : Quality of treatment	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_10	\$1	\$C_MC_CD	Types of difficulties in getting health care : Waiting time for elective surgery	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_11	\$1	\$C_MC_CD	Types of difficulties in getting health care : Cost of health care services	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_12	\$1	\$C_MC_CD	Types of difficulties in getting health care : Other transport issues	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_13	\$1	\$C_MC_CD	Types of difficulties in getting health care : Other	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_15	\$1	\$C_MC_CD	Types of difficulties in getting health care : Refused	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU1A_1	\$1	\$C_MC_CD	Health service attended in last 12 months : Stayed for at least one night in hospital	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU1A_2	\$1	\$C_MC_CD	Health service attended in last 12 months : A hospital emerg. dept. (or casualty) for @2 medical care	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU1A_3	\$1	\$C_MC_CD	Health service attended in last 12 months : An Early Childhood Centre (<5 years only)	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU1A_4	\$1	\$C_MC_CD	Health service attended in last 12 months : A Government run community health centre	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU1A_5	\$1	\$C_MC_CD	Health service attended in last 12 months : A Government dental service or dental hospital	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU1A_6	\$1	\$C_MC_CD	Health service attended in last 12 months : A general practitioner	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU1A_7	\$1	\$C_MC_CD	Health service attended in last 12 months : A specialist	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU1A_8	\$1	\$C_MC_CD	Health service attended in last 12 months : Did not attend any of these services	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU1A_9	\$1	\$C_MC_CD	Health service attended in last 12 months : Don't know	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU1A_10	\$1	\$C_MC_CD	Health service attended in last 12 months : Refused	In the last 12 months, have you attended following services:	Part of multiple response question	0. No 1. Yes
HSU2AH	\$1	\$CHS2AHF	Type of hospital for most recent overnight stay	Can you tell me if the overnight stay was at a public or private hospital?	Single response	1. Public Hospital 2. Private Hospital 3. Private Hospital attached to a Public Hospital R. Refused X. Don't know
HSU5GP	\$1	\$CHS5GPF	Last see a general practitioner	When did you last see a general practitioner?	Single response	1. Within the last week 2. 1 to 2 weeks ago 3. 2 weeks to 1 month ago 4. between 1 and 6 months 5. 6 to 12 months ago R. Refused X. Don't know
HSU6CH	\$1	\$CHS6CHF	Rating of care for most recent community health centre visit	Overall, what do you think of the care you received at the community health centre you last attended? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
HSU6ED	\$1	\$CHS6EDF	Rating of care for most recent emergency department visit	Overall, what do you think of the care you received at the emergency department you last attended? Was it....	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6GP	\$1	\$CHS6GPF	Rating of care for most recent general practitioner visit	Overall, what do you think of the care you received at the most recent GP visit? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6H	\$1	\$CHSU6HF	Rating of care for most recent overnight hospital stay	Overall, what do you think of the care you received at the last hospital you attended? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6PD	\$1	\$CHS6PDF	Rating of care for most recent public dental service visit	Overall, what do you think of the care you received at the most recent public dental service visit? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6S	\$1	\$CHSU6SF	Rating of care for most recent specialist visit	Overall, what do you think of the care you received at the specialist you last attended? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU7H_13	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : No comment	Could you briefly describe why you rated the care you received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_15	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Refused	Could you briefly describe why you rated the care you received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_1	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Can't find a specialist I like (including specialist has moved or retired)	Could you briefly describe why you rated the care you received as fair/poor?	Part of multiple response question	0. No 1. Yes
HWT1	\$1	\$CHWT1F	Height	Now a few questions about your height and weight. How tall are you without shoes?	Single response	1. Record in centimetres or 2. Record in feet and inches R. Refused X. Don't know (probe for best estimate before accepting)
HWT2	\$1	\$CHWT2F	Weight	How much do you weigh without clothes or shoes?	Single response	1. Answer in kilograms or 2. Answer in stones and pounds (14 pounds in a stone) R. Refused X. Don't know (probe for best estimate before accepting)
IMM2	\$1	\$CIMM2F	Vaccinated against influenza in last 12 months	Were you vaccinated or immunised against flu in the past 12 months? .	Single response	1. Yes 2. No R. Refused X. Don't know
IMM2AA	\$1	\$CMM2AAF	Year vaccinated against influenza	In which month and year were you vaccinated?	Single response	1. This year 2. Last year R. Refused X. Don't know
IMM2AB	\$5	\$CMM2ABF	Month vaccinated against influenza	MONTH VACCINATED or IMMUNIZED		1. January 10. October 11. November 12. December 2. February 3. March 4. April 5. May 6. June 7. July 8. August 88888. Don't know 9. September 99999. Refused
IMM4A	\$1	\$CIMM4AF	When last pneumococcal vaccination	When were you last vaccinated or immunised against pneumonia?	Single response	1. Within the last 12 months 2. 12 months to 5 years ago 3. More than 5 years ago 4. Never vaccinated R. Refused X. Don't know
IMM4B	\$1	\$CIMM4BF	Vaccinated against pneumonia	Have you been vaccinated or immunised against pneumonia?	Single response	1. Yes 2. No R. Refused X. Don't know
INC2	\$1	\$CINC2F	Household income	I would now like to ask you about your HOUSEHOLD'S income. What is your annual HOUSEHOLD income before tax? Would it be:	Single response [Read out]	2. less than \$20,000 3. \$20,000-\$40,000 4. \$40,000-\$60,000 5. \$60,000-\$80,000 6. More than \$80,000 R. Refused X. Don't know
INJ40	\$1	\$CINJ40F	Smoke alarms installed	Do you have smoke alarms installed in your home?	Single response	1. Yes - Battery operated smoke alarms 2. Yes - Hard wired smoke alarms 3. Yes - Both battery operated and hard wired 4. No R. Refused X. Don't know
INJFA	\$1	\$CINJFAF	Awareness of risk/fire danger	If you had a fire in a room in your home, how much time do you think you have before the whole room is on fire?	Single response [Read out]	1. Less than 5 minutes 2. 6 to 10 minutes 3. 11 to 15 minutes 4. More than 15 minutes R. Refused X. Don't know
INJFB	\$1	\$CINJFBF	Had a fire	Have you ever experienced an unintentional or accidental fire in your home?	Single response	1. Yes 2. No R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
INJFB1	\$1	\$CNJFB1F	Called fire brigade	Was the fire brigade called to put out the fire?	Single response	1. Yes 2. No R. Refused X. Don't know
INJFB2_1	\$1	\$C_MC_CD	Reasons did not call : Able to put out/deal with/manage the fire myself/ourselves/including relatives/friends/neighbours	What were the reasons you did not call the fire brigade?	Part of multiple response question	0. No 1. Yes
INJFB2_2	\$1	\$C_MC_CD	Reasons did not call : Able to put out the fire using available fire extinguisher and/or fire blanket	What were the reasons you did not call the fire brigade?	Part of multiple response question	0. No 1. Yes
INJFB2_3	\$1	\$C_MC_CD	Reasons did not call : Felt no need to call fire brigade	What were the reasons you did not call the fire brigade?	Part of multiple response question	0. No 1. Yes
INJFB2_4	\$1	\$C_MC_CD	Reasons did not call : Fire brigade is too far away/fire brigade would take too long to respond	What were the reasons you did not call the fire brigade?	Part of multiple response question	0. No 1. Yes
INJFB2_5	\$1	\$C_MC_CD	Reasons did not call : Thought we would get into trouble/felt too embarrassed	What were the reasons you did not call the fire brigade?	Part of multiple response question	0. No 1. Yes
INJFB2_7	\$1	\$C_MC_CD	Reasons did not call : Other	What were the reasons you did not call the fire brigade?	Part of multiple response question	0. No 1. Yes
INJFB2_8	\$1	\$C_MC_CD	Reasons did not call : Don't know	What were the reasons you did not call the fire brigade?	Part of multiple response question	0. No 1. Yes
INJFB2_9	\$1	\$C_MC_CD	Reasons did not call : Refused	What were the reasons you did not call the fire brigade?	Part of multiple response question	0. No 1. Yes
INTNAME	8		Assigned interviewer name		Derived variable	
I_ALCOHOL1B	\$2	\$S_INDF	Usually drink more than 2 standard drinks on a day when consuming alcohol		The indicator includes those who usually drink more than 2 standard drinks on a day when they drink alcohol. The questions used to define the indicator were: How often do you usually drink alcohol? On a day when you drink alcohol, how many standard drinks do you usually have? A standard drink is equal to 1 middy of full-strength beer, 1 schooner of light beer, 1 small glass of wine, or 1 pub-sized nip of spirits.	1. Yes 2. No X. Don't Know/Refused
I_ALCOHOL1BN	\$2	\$S_INDF	Do not usually drink more than 2 standard drinks on a day when consuming alcohol		The indicator includes those who usually drink less than 2 standard drinks on a day when they drink alcohol. The questions used to define the indicator were: How often do you usually drink alcohol? On a day when you drink alcohol, how many standard drinks do you usually have? A standard drink is equal to 1 middy of full-strength beer, 1 schooner of light beer, 1 small glass of wine, or 1 pub-sized nip of spirits.	1. Yes 2. No X. Don't Know/Refused
I_ASTHMA2	\$2	\$S_INDF	Current asthma		The indicator includes those who had symptoms of asthma or treatment for asthma in the last 12 months. The questions used to define the indicator were: Have you ever been told by a doctor or hospital you have asthma? Have you had symptoms of asthma or treatment for asthma in the last 12 months?	1. Yes 2. No X. Don't Know/Refused
I_BMI	\$2	\$S_INDF	Overweight or obese		The indicator includes those who are overweight or obese: that is with a Body Mass Index (BMI) of 25.0 or higher. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes? For 18 years and over, BMI is calculated as follows: $BMI = \text{weight (kg)}/\text{height(m)}^2$. Categories for this indicator include overweight (BMI from 25.0 to 29.9) and obese (BMI of 30.0 and over). For 16-17 year olds, the same categories are used but are linked to international cut off points defined by sex to pass through a BMI of 16, 17, and 18.5 (for underweight), 25 (for overweight), and 30 (for obesity) at age 18 years [Cole et al. 2000; Cole et al. 2007].	1. Yes 2. No X. Don't Know/Refused
I_BMI2	\$2	\$S_INDF	Obese		The indicator includes those who are obese: that is, with a Body Mass Index (BMI) of 30.0 or higher. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes? For 18 years and over, BMI is calculated as follows $BMI = \text{weight(kg)}/\text{height(m)}^2$. For 16-17 year olds, the same categories are used but are linked to international cut off points defined by sex to pass through a BMI of 16, 17, and 18.5 (for underweight), 25 (for overweight), and 30 (for obesity) at age 18 years [Cole et al. 2000; Cole et al. 2007].	1. Yes 2. No X. Don't Know/Refused
I_BMI30	\$2	\$S_INDF	Overweight		The indicator includes those who are overweight: that is, with a Body Mass Index (BMI) from 25.0 to 29.9. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes? For 18 years and over, BMI is calculated as follows $BMI = \text{weight(kg)}/\text{height(m)}^2$. For 16-17 year olds, the same categories are used but are linked to international cut off points defined by sex to pass through a BMI of 16, 17, and 18.5 (for underweight), 25 (for overweight), and 30 (for obesity) at age 18 years [Cole et al. 2000; Cole et al. 2007].	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
I_BMI4U	\$2	\$\$_INDF	Underweight		The indicator includes those who are underweight: that is, with a Body Mass Index (BMI) less than 20. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes? For 18 years and over, BMI is calculated as follows BMI = weight(kg)/height(m) ² . For 16-17 year olds, the same categories are used but are linked to international cut off points defined by sex to pass through a BMI of 16, 17, and 18.5 (for underweight), 25 (for overweight), and 30 (for obesity) at age 18 years [Cole et al. 2000; Cole et al. 2007].	1. Yes 2. No X. Don't Know/Refused
I_BMIH	\$2	\$\$_INDF	Healthy weight		The indicator includes those who are NOT underweight, overweight or obese: that is with a Body Mass Index (BMI) of 18.5 to 24.9. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes? For 18 years and over, BMI is calculated as follows: BMI = weight (kg)/height(m) ² . For 16-17 year olds, the same BMI categories are used but are linked to international cut off points defined by sex to pass through a BMI of 16, 17, and 18.5 (for underweight), 25 (for overweight), and 30 (for obesity) at age 18 years [Cole et al. 2000; Cole et al. 2007].	1. Yes 2. No X. Don't Know/Refused
I_BP	\$2	\$\$_INDF	Blood pressure measured in the last 2 years		The indicator includes those who had their blood pressure measured within the last 2 years. The question used to define the indicator was: When did you last have your blood pressure measured by a medical practitioner or nurse?	1. Yes 2. No X. Don't Know/Refused
I_BP01	\$2	\$\$_INDF	Ever had high blood pressure		The indicator includes those who have been told by a doctor or hospital they have high blood pressure or hypertension, except during pregnancy. The question used to define the indicator was: Have you ever been told by a doctor or hospital you have high blood pressure, sometimes called hypertension?	1. Yes 2. No X. Don't Know/Refused
I_CHOL	\$2	\$\$_INDF	Cholesterol measured in the last 2 years		The indicator includes those who had their cholesterol measured within the last 2 years. The question used to define the indicator was: When did you last have your cholesterol measured?	1. Yes 2. No X. Don't Know/Refused
I_CHOL1	\$2	\$\$_INDF	Ever had high cholesterol		The indicator includes those who have ever been told by a doctor or hospital they have high cholesterol. The question used to define the indicator was: Have you ever been told by a doctor or hospital you have high cholesterol?	1. Yes 2. No X. Don't Know/Refused
I_DENTCOV	\$2	\$\$_INDF	Has private health insurance for dental expenses		The indicator includes those who have private health insurance for dental expenses. The question used to define the indicator was: Do you have private health insurance cover for dental expenses?	1. Yes 2. No X. Don't Know/Refused
I_DIAB1	\$2	\$\$_INDF	Diabetes or high blood glucose		The indicator includes those who either had diabetes or high blood glucose but did not have gestational diabetes. The questions used to define the indicator were: Have you ever been told by a doctor or hospital you have diabetes? Have you ever been told by a doctor or hospital you have high blood glucose? If female, Were you pregnant when you were first told you had diabetes or high blood glucose? Have you ever had diabetes or high blood glucose apart from when you were pregnant?	1. Yes 2. No X. Don't Know/Refused
I_FALL	\$2	\$\$_INDF	Falls in the last 12 months, adults aged 65 years and over		The indicator includes those who had a fall in the last 12 months. The question used to define the indicator was: In the last 12 months have you had a fall?	1. Yes 2. No X. Don't Know/Refused
I_FLU1	\$2	\$\$_INDF	Vaccinated against influenza in the last 12 months, adults aged 65 years and over		The indicator includes those aged 65 years and over who were vaccinated or immunised against influenza in the last 12 months. The question used to define the indicator was: Were you vaccinated or immunised against flu in the last 12 months?	1. Yes 2. No X. Don't Know/Refused
I_FOOD	\$2	\$\$_INDF	Food insecurity in the last 12 months		The indicator includes those who had suffered some food insecurity in the last 12 months. The question used to define the indicator was: In the last 12 months, were there any times you ran out of food and could not afford to buy more?	1. Yes 2. No X. Don't Know/Refused
I_FRUIT	\$2	\$\$_INDF	Two or more serves of fruit a day		The indicator includes those who consumed 2 or more serves of fruit a day. The recommended fruit intake is at least 2 serves a day for persons aged 19 years and over, depending on their overall diet. For simplification, this recommendation is applied to 16-18 year olds. One serve is equivalent to 1 medium piece or 2 small pieces of fruit. The question used to define the indicator was: How many serves of fruit do you usually eat each day?	1. Yes 2. No X. Don't Know/Refused
I_HDIFF1	\$2	\$\$_INDF	Difficulties getting health care when needing it		The indicator includes those who had difficulties getting health care when they needed it. It excludes those who said they do not need health care. The question used to define the indicator was: Do you have any difficulties getting health care when you need it?	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
I_HSTAT	\$2	\$\$_INDF	Excellent, very good, or good self-rated health status		The indicator includes those responding excellent, very good, or good to a global self-rated health status question. The question used to define the indicator was: Overall, how would you rate your health during the last 4 weeks: Was it excellent, very good, good, fair, poor, or very poor?	1. Yes 2. No X. Don't Know/Refused
I_K10	\$2	\$\$_INDF	High or very high psychological distress		The indicator includes those with a Kessler 10 (K10) score of 22 or above. The K10 is a 10-item questionnaire that measures the level of psychological distress in the most recent 4-week period.	1. Yes 2. No X. Don't Know/Refused
I_ORAL5	\$2	\$\$_INDF	Visited a dental professional in the last 12 months		The indicator includes those who have attended a dental professional within the last 12 months. The question used to define the indicator was: When did you last visit a dental professional about your teeth, dentures, or gums?	1. Yes 2. No X. Don't Know/Refused
I_PHYSACT	\$2	\$\$_INDF	Adequate physical activity - 150min a week on at least 5 separate occasions		The indicator includes those who did adequate physical activity. Adequate physical activity is a total of 150 minutes a week on 5 separate occasions. The total minutes were calculated by adding minutes in the last week spent walking continuously for at least 10 minutes, minutes doing moderate physical activity, plus 2 x minutes doing vigorous physical activity. The questions used to define the indicator were: In the last week, how many times have you walked continuously for at least 10 minutes for recreation or exercise or to get to or from places? What do you estimate was the total time you spent walking in this way in the last week? In the last week, how many times did you do any vigorous physical activity that made you breathe harder or puff and pant? What do you estimate was the total time you spent doing this vigorous physical activity in the last week? In the last week, how many times did you do any other more moderate physical activity that you have not already mentioned?	1. Yes 2. No X. Don't Know/Refused
I_PHYSACT2	\$2	\$\$_INDF	Adequate physical activity - 300min a week on at least 5 separate occasions		The indicator includes those who did adequate physical activity. Adequate physical activity is a total of 300 minutes a week on 5 separate occasions. The total minutes were calculated by adding minutes in the last week spent walking continuously for at least 10 minutes, minutes doing moderate physical activity, plus 2 x minutes doing vigorous physical activity. The questions used to define the indicator were: In the last week, how many times have you walked continuously for at least 10 minutes for recreation or exercise or to get to or from places? What do you estimate was the total time you spent walking in this way in the last week? In the last week, how many times did you do any vigorous physical activity that made you breathe harder or puff and pant? What do you estimate was the total time you spent doing this vigorous physical activity in the last week? In the last week, how many times did you do any other more moderate physical activity that you have not already mentioned?	1. Yes 2. No X. Don't Know/Refused
I_PNEUM3	\$2	\$\$_INDF	Vaccinated against pneumococcal disease in the last 5 years, adults aged 65 years and over		The indicator includes those aged 65 years and over who have been immunised against pneumococcal disease in the last 5 years. The question used to define the indicator was: When were you last vaccinated or immunised against pneumonia?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE2	\$2	\$\$_INDF	Current smoking		The indicator includes those who smoked daily or occasionally. The question used to define the indicator was: Which of the following best describes your smoking status: smoke daily, smoke occasionally, do not smoke now but I used to, I have tried it a few times but never smoked regularly, or I have never smoked?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE2D	\$2	\$\$_INDF	Daily smoking		The indicator includes those who smoked daily. The question used to define the indicator was: Which of the following best describes your smoking status: smoke daily, smoke occasionally, do not smoke now but I used to, I have tried it a few times but never smoked regularly, or I have never smoked?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE2E	\$2	\$\$_INDF	Ever smoked		The indicator includes those who have ever smoked. The question used to define the indicator was: Which of the following best describes your smoking status: smoke daily, smoke occasionally, do not smoke now but I used to, I have tried it a few times but never smoked regularly, or I have never smoked?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE2F	\$2	\$\$_INDF	Former smoker		The indicator includes those who do not smoke now but used to. The question used to define the indicator was: Which of the following best describes your smoking status: smoke daily, smoke occasionally, do not smoke now but I used to, I have tried it a few times but never smoked regularly, or I have never smoked?	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
I_SMOKE2Q	\$2	\$\$_INDF	Intend to quit smoking, adults aged 16 years and over who are current smokers		The indicator includes those who smoke daily or occasionally and who are in the process of or intend to quit smoking in the next 6 months. The questions used to define the indicator were: Which of the following best describes your smoking status: smoke daily, smoke occasionally, don't smoke now but used to, I have tried it a few times but never smoked regularly, and I have never smoked? Which of the following best describes how you feel about your smoking: I am not planning on quitting within the next 6 months, I am planning on quitting within the next 6 months, I am planning on quitting within the next month, I have not smoked in the last 24 hours but was smoking 6 months ago, I have not been smoking in the last 6 months?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE2V	\$2	\$\$_INDF	Never smoked		The indicator includes those who have never smoked. The question used to define the indicator was: Which of the following best describes your smoking status: smoke daily, smoke occasionally, do not smoke now but I used to, I have tried it a few times but never smoked regularly, or I have never smoked?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE4	\$2	\$\$_INDF	Lives in smoke-free households		The indicator includes those who indicated their home was smoke-free. The question used to define the indicator was: Which of the following best describes your home situation: my home is smoke-free, people occasionally smoke in the house, or people frequently smoke in the house?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE4C	\$2	\$\$_INDF	Bans smoking in car, adults aged 16 years and over who own a car		The indicator includes those who indicated their car was smoke-free. The question used to define the indicator was: Are people allowed to smoke in your car?	1. Yes 2. No X. Don't Know/Refused
I_SOCIAL1C	\$2	\$\$_INDF	Active member of a local organisation, church or club		The indicator includes those who are an active member of a local organisation, church or club. The question used was: Are you an active member of a local organisation, church or club, such as a sport, craft, or social club?	1. Yes 2. No X. Don't Know/Refused
I_SOCIAL2A	\$2	\$\$_INDF	Most people can be trusted		The indicator includes those who strongly agree or agree that most people can be trusted. The question used was: Do you strongly agree, agree, disagree or strongly disagree with the statement 'Most people can be trusted'?	1. Yes 2. No X. Don't Know/Refused
I_SOCIAL2B	\$2	\$\$_INDF	Feels safe walking down their street after dark		The indicator includes those who strongly agree or agree that they feel safe walking down their street after dark. The question used was: Do you strongly agree, agree, disagree or strongly disagree with the statement 'I feel safe walking down my street after dark'?	1. Yes 2. No X. Don't Know/Refused
I_SOCIAL2C	\$2	\$\$_INDF	Area has a reputation for being a safe place		The indicator includes those who strongly agree or agree that their area has a reputation for being a safe place. The question used was: Do you strongly agree, agree, disagree or strongly disagree with the statement 'My area has a reputation for being a safe place'?	1. Yes 2. No X. Don't Know/Refused
I_SOCIAL3A	\$2	\$\$_INDF	Visited neighbours in the last week		The indicator includes those who visited someone in their neighbourhood at least once in the last week. The question used was: How often have you visited someone in your neighbourhood in the last week?	1. Yes 2. No X. Don't Know/Refused
I_SOCIAL3B	\$2	\$\$_INDF	Able to ask for neighbourhood help to care for a child		The indicator includes those who would definitely or possibly be able to ask someone in their neighbourhood for help to care for a child. The question used was: If you were caring for a child and needed to go out for a while, and could not take the child with you, would you ask someone in your neighbourhood for help?	1. Yes 2. No X. Don't Know/Refused
I_SOCIAL3C	\$2	\$\$_INDF	Ran into friends and acquaintances when shopping in local area		The indicator includes those who run into friends and acquaintances when shopping in their local area at least some of the time. The question used was: When you go shopping in your local area how often are you likely to run into friends and acquaintances?	1. Yes 2. No X. Don't Know/Refused
I_SOCIAL3D	\$2	\$\$_INDF	Would feel sad to leave their neighbourhood		The indicator includes those who would be sad if they had to leave their neighbourhood. The question used was: Would you be sad if you had to leave this neighbourhood?	1. Yes 2. No X. Don't Know/Refused
I_VEG	\$2	\$\$_INDF	Five or more serves of vegetables a day		The indicator includes those who consumed 5 or more serves of vegetables a day. The recommended vegetable intake is at least 5 serves a day for persons aged 16 years and over, depending on their overall diet. One serve is equivalent to 1/2 cup of cooked vegetables or 1 cup of salad vegetables. The question used to define the indicator was: How many serves of vegetables do you usually eat each day?	1. Yes 2. No X. Don't Know/Refused
I_VEGB	\$2	\$\$_INDF	Recommended vegetable intake (2013 NHMRC Dietary Guidelines)		The indicator includes those who consume the recommended number of serves of vegetables a day. The recommended vegetable intake is at least 5 serves per day for females aged 16 years and over; 5.5 serves for boys aged 12-18 years; 6 serves for men aged 19-50 years; 5.5 serves for men aged 51-70 years; and 5 serves for men aged 71 years and over. One serve is equivalent to 1/2 cup of cooked vegetables or 1 cup of salad vegetables. The question used to define the indicator was: How many serves of vegetables do you usually eat each day?	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
KA1	8		Time sitting on a weekend day calculation		Derived variable	
KA2	8		Time sitting on a weekend day calculation		Derived variable	
KA3	8		Minutes spent sitting on a weekend day in last week		Derived variable	
LANPA	\$1	\$CLANPAF	Speak a language other than English at home	Do you usually speak a language other than English at home?	Single response	1. Yes 2. No R. Refused X. Don't know
LFS	\$1	\$CLFSF	Actively looking for work	Were you actively looking for work in the last week?	Single response	1. Yes - Looked for Full-time work 2. Yes - Looked for Part-time work 3. No - Did not look for work R. Refused X. Don't know
LFSF	\$1	\$CLFSFF	Father actively looking for work	Was child's father/step-father actively looking for work in the last week?	Single response	1. Yes - Looked for Full-time work 2. Yes - Looked for Part-time work 3. No - Did not look for work R. Refused X. Don't know
LFSP	\$1	\$CLFSPF	Current employment status	In the last week, which of the following best describes your employment status?	Single response [Read out]	1. A salary or wage earner or conducting a business 2. A salary or wage earner or conducting a business but absent on paid 3. Unpaid work in a family business 4. Other unpaid work 5. Did not have a job R. Refused X. Don't know/Not sure
LHD	\$4	\$LHDFMT	Local Health Districts (15 LHDs) as used for the headline number stratification		As stratified where X700=Sydney, X710=South Western Sydney, X720=South Eastern Sydney, X730=Illawarra Shoalhaven, X740=Western Sydney, X750=Nepean Blue Mountains, X760=Northern Sydney, X770=Central Coast, X800=Hunter New England, X810=Northern NSW, X820=Mid North Coast, X830=Southern NSW, X840=Murrumbidgee, X850=Western NSW, X860=Far West, X921=Albury (Victoria in-reach).	X700. Sydney X710. South Western Sydney X720. South Eastern Sydney X730. Illawarra Shoalhaven X740. Western Sydney X750. Nepean Blue Mountains X760. Northern Sydney X770. Central Coast X800. Hunter New England X810. Northern NSW X820. Mid North Coast X830. Southern NSW X840. Murrumbidgee X850. Western NSW X860. Far West X921. Albury (Victoria in-reach)
LHD_TEXT	\$30	\$	Local health district :		Part of multiple response question	
LHN	\$4	\$LHNFMT	Local Health Districts for reporting (14 LHNs: Albury combined with Murrumbidgee)		Derived from the sample frame and postcode concordance where X700=Sydney, X710=South Western Sydney, X720=South Eastern Sydney, X730=Illawarra Shoalhaven, X740=Western Sydney, X750=Nepean Blue Mountains, X760=Northern Sydney, X770=Central Coast, X800=Hunter New England, X810=Northern NSW, X820=Mid North Coast, X830=Southern NSW, X840=Murrumbidgee (including Albury) , X850=Western NSW, X860=Far West.	X700. Sydney X710. South Western Sydney X720. South Eastern Sydney X730. Illawarra Shoalhaven X740. Western Sydney X750. Nepean Blue Mountains X760. Northern Sydney X770. Central Coast X800. Hunter New England X810. Northern NSW X820. Mid North Coast X830. Southern NSW X840. Murrumbidgee X850. Western NSW X860. Far West
LHN_REGION	\$4		Local Health District Region		Y880=Metro LHDs (X700=Sydney, X710=South Western Sydney, X720=South Eastern Sydney, X730=Illawarra Shoalhaven, X740=Western Sydney, X750=Nepean Blue Mountains, X760=Northern Sydney, and X770=Central Coast), and Y888=Rural/Regional LHDs (X800=Hunter New England, X810=Northern NSW, X820=Mid North Coast, X830=Southern NSW, X840=Murrumbidgee including Albury, X850=Western NSW, and X860=Far West).	
LHS	\$4	\$CLHDF	Local Health Strata (code)			9999. Missing
LOTESPKN	\$4		Which LOTE language spoken (private)			
M2	8		Times meat product eaten per week		Derived variable which combines daily*7, weekly, monthly/4 and rarely or never meat consumption.	
MA1	8		Physical activity calculation moderate exercise in last week		Derived variable	
MA2	8		Physical activity calculation moderate exercise in last week		Derived variable	
MA3	8		Minutes spent exercising moderately in last week		Derived variable	
MSTP	\$1	\$CMSTPF	Formal marital status	What is your current formal marital status? Are you... (READ OPTIONS 1-5)	Single response	1. Married (this refers to registered marriages) 2. Widowed 3. Separated but not divorced 4. Divorced 5. Never married R. Refused X. Don't know
MTWP2_1	\$1	\$C_MC_CD	Usual transport to work : Train	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_2	\$1	\$C_MC_CD	Usual transport to work : Bus	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_3	\$1	\$C_MC_CD	Usual transport to work : Ferry	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_4	\$1	\$C_MC_CD	Usual transport to work : Tram (including light rail)	How do you usually get to work?	Part of multiple response question	0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
MTWP2_5	\$1	\$C_MC_CD	Usual transport to work : Taxi	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_6	\$1	\$C_MC_CD	Usual transport to work : Car - as driver	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_7	\$1	\$C_MC_CD	Usual transport to work : Car - as passenger	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_8	\$1	\$C_MC_CD	Usual transport to work : Truck	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_9	\$1	\$C_MC_CD	Usual transport to work : Motorbike or motor scooter	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_10	\$1	\$C_MC_CD	Usual transport to work : Bicycle	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_11	\$1	\$C_MC_CD	Usual transport to work : Walk only	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_12	\$1	\$C_MC_CD	Usual transport to work : Work at home	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_13	\$1	\$C_MC_CD	Usual transport to work : Walk part of the way	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_14	\$1	\$C_MC_CD	Usual transport to work : Other	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_15	\$1	\$C_MC_CD	Usual transport to work : Don't know	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_16	\$1	\$C_MC_CD	Usual transport to work : Refused	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
MTWP2_17	\$1	\$C_MC_CD	Usual transport to work : Other active transport (horse etc)	How do you usually get to work?	Part of multiple response question	0. No 1. Yes
NUT1	\$1	\$CNUT1F	Serves of vegetables usually eaten per day	How many serves of vegetables does child usually eat each day? One serve is half a cup cooked or 1 cup of salad vegetables.	Single response	1. Answer in serves per day 2. Answer in serves per week 3. Don't eat vegetables R. Refused X. Don't know
NUT12	\$1	\$CNUT12F	Red meat consumption	How often do you eat red meat such as beef, lamb, liver and kidney but not pork or ham?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely/never R. Refused X. Don't know
NUT13	\$1	\$CNUT13F	Fast food consumption	How often do you have meals or snacks such as burgers, pizza, chicken or chips from places like McDonalds, Hungry Jacks, Pizza Hut, KFC, Red Rooster, or local take-away places?	Single response	1. Times per week 2. Times per month 3. Rarely/Never R. Refused X. Don't know
NUT15	\$1	\$CNUT15F	Times hot fried potato products usually eaten per week	How often do you eat hot chips, french fries, wedges or fried potatoes?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely or never R. Refused X. Don't know
NUT16	\$1	\$CNUT16F	Times salty snack products usually eaten per week	How often do you eat potato crisps or other salty snacks such as Twisties or corn chips?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely or never R. Refused X. Don't know
NUT17	8		Knowledge of recommended fruit serves	How many serves of fruit do you think you should eat each day to be healthy?		
NUT18	8		Knowledge of recommended vegetable serves	How many serves of vegetables do you think you should eat each day to be healthy?		
NUT1A	8		How many serves of vegetables usually eaten per day	How many serves of vegetables does child usually eat each day? One serve is half a cup cooked or 1 cup of salad vegetables.		
NUT1B	8		How many serves of vegetables usually eaten per week	How many serves of vegetables does child usually eat each day? One serve is half a cup cooked or 1 cup of salad vegetables.		
NUT2	\$1	\$CNUT2F	Serves of fruit usually eaten per day	How many serves of fruit do you usually eat each day? A serve is 1 medium piece or 2 small pieces of fruit or 1 cup of diced pieces.	Single response	1. Answer in serves per day 2. Answer in serves per week 3. Don't eat fruit R. Refused X. Don't know
NUT2A	8		How many serves of fruit usually eaten per day	How many serves of fruit do you usually eat each day? A serve is 1 medium piece or 2 small pieces of fruit or 1 cup of diced pieces.		
NUT2B	8		How many serves of fruit usually eaten per week	How many serves of fruit do you usually eat each day? A serve is 1 medium piece or 2 small pieces of fruit or 1 cup of diced pieces.		

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
NUT3B	\$1	\$CNUM3BF	Times bread usually eaten per day	How often do you usually eat bread? Include bread rolls, flat breads, crumpets, bagels, English or bread type muffins.	Single response	1. Record times per day 2. Record times per week 3. Record times per month 4. Rarely or never R. Refused X. Don't know
NUT4BA	\$1	\$CNT4BAF	Times breakfast cereal usually eaten per day	How often do you eat breakfast cereal?	Single response	1. Record times per day 2. Record times per week 3. Record times per month 4. Rarely or never R. Refused X. Don't know
NUT5BA	\$1	\$CNT5BAF	Times cooked pasta usually eaten per day	How often do you eat pasta, rice, noodles or other cooked cereals?	Single response	1. Record times per day 2. Record times per week 3. Record times per month 4. Rarely or never R. Refused X. Don't know
NUT6	\$1	\$NUT6F	Type of milk usually have	What type of milk do you usually have?	Single response	1. Regular milk (whole or full cream) 2. Low /reduced fat milk 3. Skim milk 4. Evaporated or sweetened milk 5. Other 6. Don't have milk R. Refused X. Don't know
NUT7	\$1	\$CNUM7F	Times meat products usually eaten per week	How often do you eat processed meat products such as sausages, frankfurts, devon, salami, hamburgers, chicken nuggets, meat pies, bacon or ham?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely or never R. Refused X. Don't know
NUT7C_AP	\$1	\$C_APPL	Number of times meat products usually eaten per month : NUT7c : Number of times meat products usually eaten per month (APP)	How often do you eat processed meat products such as sausages, frankfurts, devon, salami, hamburgers, chicken nuggets, meat pies, bacon or ham?		0. Not Asked 1. Answered 2. Not Stated
NUT7C_R	\$3		Number of times meat products usually eaten per month : NUT7c : Number of times meat products usually eaten per month (RAW)	How often do you eat processed meat products such as sausages, frankfurts, devon, salami, hamburgers, chicken nuggets, meat pies, bacon or ham?		
OHE10A	\$1	\$CHE10AF	Agree with adding fluoride to water	Do you agree with adding fluoride to your water supply to try and prevent teeth decaying?	Single response	1. Yes 2. No R. Refused X. Don't know
OHE10BB	\$1	\$CH10BBF	Would be in favour of adding fluoride to water	Would you be in favour of adding fluoride to the public water supply to try and prevent teeth decaying:	Single response [Read out]	1. In children? 2. In adults? 3. Both adults and children? 4. Neither R. Refused X. Don't know
OHE11_1	\$1	\$C_MC_CD	Places received information on water fluoridation : Newspapers	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_2	\$1	\$C_MC_CD	Places received information on water fluoridation : Magazines	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_3	\$1	\$C_MC_CD	Places received information on water fluoridation : Television	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_4	\$1	\$C_MC_CD	Places received information on water fluoridation : Radio	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_5	\$1	\$C_MC_CD	Places received information on water fluoridation : Advertisements for dental products	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_6	\$1	\$C_MC_CD	Places received information on water fluoridation : Health authorities or government	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_7	\$1	\$C_MC_CD	Places received information on water fluoridation : Dentists or dental auxiliaries	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_8	\$1	\$C_MC_CD	Places received information on water fluoridation : Internet or own sources or research	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_9	\$1	\$C_MC_CD	Places received information on water fluoridation : No information/source	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_10	\$1	\$C_MC_CD	Places received information on water fluoridation : Other [SPECIFY]	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_11	\$1	\$C_MC_CD	Places received information on water fluoridation : Don't know	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes
OHE11_12	\$1	\$C_MC_CD	Places received information on water fluoridation : Refused	Where have you received information on water fluoridation?	Part of multiple response question	0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
OHE12_1	\$1	\$C_MC_CD	Who should decide on fluoridation : State or Australian (Federal or Commonwealth) government	In your opinion who should decide on the fluoridation of water supplies?	Part of multiple response question	0. No 1. Yes
OHE12_2	\$1	\$C_MC_CD	Who should decide on fluoridation : Health authorities	In your opinion who should decide on the fluoridation of water supplies?	Part of multiple response question	0. No 1. Yes
OHE12_3	\$1	\$C_MC_CD	Who should decide on fluoridation : Dental associations or scientists or professional bodies	In your opinion who should decide on the fluoridation of water supplies?	Part of multiple response question	0. No 1. Yes
OHE12_4	\$1	\$C_MC_CD	Who should decide on fluoridation : Water boards or local governments	In your opinion who should decide on the fluoridation of water supplies?	Part of multiple response question	0. No 1. Yes
OHE12_5	\$1	\$C_MC_CD	Who should decide on fluoridation : Community	In your opinion who should decide on the fluoridation of water supplies?	Part of multiple response question	0. No 1. Yes
OHE12_6	\$1	\$C_MC_CD	Who should decide on fluoridation : Other [SPECIFY]	In your opinion who should decide on the fluoridation of water supplies?	Part of multiple response question	0. No 1. Yes
OHE12_7	\$1	\$C_MC_CD	Who should decide on fluoridation : Don't know	In your opinion who should decide on the fluoridation of water supplies?	Part of multiple response question	0. No 1. Yes
OHE12_8	\$1	\$C_MC_CD	Who should decide on fluoridation : Refused	In your opinion who should decide on the fluoridation of water supplies?	Part of multiple response question	0. No 1. Yes
OHE9	\$1	\$COHE9F	Fluoride added to public water	Has fluoride been added to your public water supply?	Single response	1. Yes 2. No R. Refused X. Don't know
P2	8		Times cooked pasta eaten per day		Derived variable which combines daily, weekly/7, monthly/30 and rarely or never pasta, rice and cooked cereal consumption.	
PA1	8		Physical activity calculation vigorous exercise in last week		Derived variable	
PA2	8		Physical activity calculation vigorous exercise in last week		Derived variable	
PA3	8		Minutes spent exercising vigorously in last week		Derived variable	
PAC1	8		Number of times walked in last week	In the last week, how many times have you walked continuously for at least 10 minutes for recreation or exercise or to get to or from places?		
PAC10A	8		Hours spent exercising moderately in last week	What do you estimate was the total time that you spent doing these activities in the last week?	[Prompt]	
PAC10B	8		Minutes spent exercising moderately in last week	What do you estimate was the total time that you spent doing these activities in the last week?		
PAC2	8		Hours spent walking in last week	What do you estimate was the total time you spent walking in this way in the last week?	[Prompt]	
PAC2B	8		Minutes spent walking in last week	What do you estimate was the total time you spent walking in this way in the last week?	[Prompt]	
PAC7	8		Number of times exercised vigorously in last week	The next question excludes household chores or gardening. In the last week, how many times did you do any vigorous physical activity which made you breathe harder or puff and pant? (eg: football, tennis, netball, squash, athletics, cycling, jogging, keep-fit exercises and vigorous swimming).		
PAC8A	8		Hours spent exercising vigorously in last week	What do you estimate was the total time you spent doing this vigorous physical activity in the last week?	[Prompt]	
PAC8B	8		Minutes spent exercising vigorously in last week	What do you estimate was the total time you spent doing this vigorous physical activity in the last week?	[Prompt]	

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
PAC9	8		Number of times spent exercising moderately in last week	This next question does not include household chores or gardening. In the last week, how many times did you do any other more moderate physical activity that you haven't already mentioned? (eg: lawn bowls, golf, tai chi, and sailing).		
PHN_2015_CODE	\$6		phn: Primary Healthcare Network (PHN)			
PHN_2015_NAME	\$40		phn_text: Primary Healthcare Network text (PHN)			
PREG	\$1	\$CPREGF	Pregnancy	To your knowledge are you pregnant?	Single response	1. Yes 2. No R. Refused X. Don't know
PRT5	\$1	\$CPRT5F	Had adult whooping cough booster in past 12 months	Have you had the ADULT whooping cough vaccine in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
Q2	8		Times hot fried potato products usually eaten per week		Derived variable	
QALLP	\$1	\$QALLPF	Highest qualification completed	What is the level of the highest qualification you have completed?	Single response	1. Completed School Certificate/ Intermediate/ Year 10/4th Form.... 2. Completed HSC/Leaving/Year 12/ 6th Form 3. TAFE Certificate or Diploma 4. University, CAE or some other tertiary institute degree or higher 5. Other 6. Completed primary school 7. Completed years 7-9 R. Refused X. Don't know
RNUM1	8		Randomization for respondent		Derived variable	
R_ABTSI	\$2	\$AB1FMT	Aboriginal Torres Straight Islander			0. NSW 1. Aboriginal 2. Non-Aboriginal 99. NSW
R_FRUIT1	\$2	\$FRU1TAB	Daily number of serves of fruit		The question used was: How many serves of fruit do you usually eat each day? One serve is equivalent to 1 medium piece or 2 small pieces of fruit.	1. No serves 2. Less than 1 serve 3. 1 serve 4. 2 serves 5. 3 serves 6. More than 3 serves
R_HSTAT1	\$2	\$RATECAT	Self-rated health		The question used was: Overall, how would you rate your health during the last 4 weeks: Was it excellent, very good, good, fair, poor, or very poor?	1. Excellent 2. Very good 3. Good 4. Fair 5. Poor 6. Very Poor
R_K10A	\$2	\$K10ACAT	Psychological distress by Kessler 10 categories		The K10 is a 10-item questionnaire that measures the level of psychological distress in the most recent 4-week period. The categories shown for the K10 scores are low (K10 between 10 and 15.9), moderate (K10 between 16 and 21.9), high (K10 between 22 and 29.9), and very high (K10 of 30 and over).	1. Low 2. Moderate 3. High 4. Very high
R_SMOKE2A	\$2	\$SMKTAB	Smoking status		The question used was: Which of the following best describes your smoking status: smoke daily, smoke occasionally, do not smoke now but used to, have tried it a few times but never smoked regularly, and never smoked?	1. Smoke daily 2. Smoke occasionally 3. Don't smoke now but used to 4. Tried but never smoked regularly 5. I've never smoked
R_SMOKE4A	\$2	\$SMK2TAB	Exposure to tobacco smoke in home		The question used was: Which of the following best describes your home situation: my home is smoke-free, people occasionally smoke in the house, and people frequently smoke in the house?	1. My home is smoke free 2. People occasionally smoke in the house 3. People frequently smoke in the house
R_SMOKE4D	\$2	\$SK4CAT	Exposure to tobacco smoke in car, adults aged 16 years and over who own a car		The question used was: Are people allowed to smoke in your car: yes, no, and don't have a car?	1. Yes 2. No 3. Don't have a car
R_VEG1	\$2	\$VEG1TAB	Daily number of serves of vegetables		The question used was: How many serves of vegetables do you usually eat each day? One serve is equivalent to 1/2 cup of cooked vegetables or 1 cup of salad vegetables.	1. No serves 2. Less than 1 serve 3. 1 serve 4. 2 serves 5. 3 serves 6. 4 serves 7. 5 serves 8. More than 5 serves
SEX	\$4	\$CSEXF	Respondent/Child sex			1. Male 2. Female
SEX1	\$1	\$CSEX1F	Sexual intercourse in last 12 months	Have you had sexual intercourse in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
SEX2	\$1	\$CSEX2F	Sexual intercourse with more than one person in the last 12 months	Have you had sexual intercourse with more than one person in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
SEX4A	\$1	\$CSEX4AF	STI test in last 12 months	Have you had a blood test for a sexually transmitted infection or STI in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
SEXCM	\$1	\$CSEXCMF	Sex without condom last 12 months	Have you had sex without a condom in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
SEXID	\$1	\$CSEXIDF	Sexual identity	Do you think of yourself as:	Single response [Read out]	1. Heterosexual or straight 2. Homosexual or Gay 3. Bisexual 4. Something else/other R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
SH1	\$1	\$CSH1F	Shade in sporting areas	In your local area, when you are outside do you find it easy to find shade in sporting areas?	Single response	1. Yes 2. No 3. Not applicable R. Refused X. Don't know
SH2	\$1	\$CSH2F	Shade at public pool	In your local area, when you are outside do you find it easy to find shade at the outdoor public swimming pool?	Single response	1. Yes 2. No 3. Not applicable R. Refused X. Don't know
SH3	\$1	\$CSH3F	Shade at public park	In your local area, when you are outside do you find it easy to find shade at the public park?	Single response	1. Yes 2. No 3. Not applicable R. Refused X. Don't know
SITZ1	8		Time sitting on a weekday hours	During the last 7 days, how much time did you usually spend sitting on a weekday? NOTE:		
SITZ1A	8		Time sitting on a weekday minutes	During the last 7 days, how much time did you usually spend sitting on a weekday? NOTE:		
SITZ2	8		Time sitting on a weekend day hours	During the last 7 days, how much time did you usually spend sitting on a weekend day? NOTE:		
SITZ2A	8		Time sitting on a weekend day minutes	During the last 7 days, how much time did you usually spend sitting on a weekend day? NOTE:		
SKNCOL	\$1	\$CSKNCLF	Skin colour	How would you describe your skin colour when you don't have any tan? IF RESPONDENT SAYS 'FAIR' OR 'DARK' ASK: Would that be fair/dark or very fair/dark? IF RESPONDENT HESITATES, PROMPT WITH When you/they don't have any tan would you say your/their skin colour is...	Single response [Read out]	1. Very fair 2. Fair 3. Medium 4. Olive 5. Dark 6. Very dark 7. Black R. Refused X. Don't know or don't recall
SKNSEN	\$1	\$CSKNSNF	Skin sensitivity	Suppose your skin was exposed to strong sunshine at the beginning of summer with no protection at all. If you stayed in the sun for 30 minutes, would your skin...	Single response [Read out]	1. Just burn and not tan afterwards 2. Burn first then tan afterwards 3. Not burn at all, just tan R. Refused X. Don't know or don't recall
SMK1	\$1	\$CSMK1F	Personal smoking status	Which of the following best describes your smoking status?	Single response [Read out]	1. I smoke daily 2. I smoke occasionally 3. I don't smoke now, but I used to 4. I've tried it a few times but never smoked regularly 5. I've never smoked R. Refused X. Don't know
SMK16	\$1	\$CSMK16F	Car smoking status	Are people allowed to smoke in your car?	Single response	1. Yes 2. No 3. Don't have a car R. Refused X. Don't know
SMK2	\$1	\$CSMK2F	Home smoking status	Which of the following best describes your home situation?	Single response [Read out]	1. My home is smoke free (includes smoking is allowed outside only) 2. People occasionally smoke in the house 3. People frequently smoke in the house R. Refused X. Don't know
SMK3	\$1	\$CSMK3F	Intention to quit smoking	Which of the following best describes how you feel about your smoking?	Single response [Read out]	1. I am not planning on quitting within the next six months 2. I am planning on quitting within the next six months 3. I am planning on quitting within the next month 4. I have not smoked in the past 24 hours but was smoking six months ago 5. I have not been smoking in the past six months R. Refused X. Don't know
SMKEL1	\$1	\$CSMKL1F	Current use of electronic cigarettes	Which of the following best describes how often you use electronic cigarettes? IF ASKED: .	Single response [Read out]	1. I've never used electronic cigarettes 2. I've tried electronic cigarettes a few times but never 3. I don't use electronic cigarettes now, but I used to 4. I use electronic cigarettes occasionally 5. I use electronic cigarettes daily R. Refused X. Don't know

Variable Name	Type Length	Format	Variable label	Script Question	Coding and Comments	Code frame
SMKFG1	\$1	\$CMKFG1F	Smoking quantity	How many cigarettes per day do you smoke, on average? Is it...	Single response [Read out]	1. 1 to 10 cigarettes per day 2. 11 to 20 cigarettes per day, or 3. 21 or more cigarettes per day R. Refused X. Don't know
SMKFG2	\$1	\$CMKFG2F	Smoking on waking	How soon after waking up do you smoke your first cigarette? Is it...	Single response [Read out]	1. Within 5 minutes 2. Within half an hour (6-30 minutes) 3. Within an hour (31-60 minutes) 4. A hour or more later (more than 60 minutes) R. Refused X. Don't know
SMKSW	\$1	\$CSMKSWF	Discuss quitting smoking at last GP visit	The last time you went to your GP, did the doctor discuss your smoking and advise you to quit smoking?	Single response	1. Yes 2. No R. Refused X. Don't know
SPSV16	\$1	\$CPSV16F	Seek shade in the last 4 weeks	In the last 4 weeks, when you were out in the sun for more than 15 minutes, how often did you seek shade?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know
SPSV17	\$1	\$CPSV17F	Sunglasses in the last 4 weeks	In the last 4 weeks, when you were out in the sun for more than 15 minutes, how often did you wear sunglasses?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know
SPSV2	\$1	\$CSPSV2F	Sun exposure in the last 4 weeks	In the last 4 weeks, how often did you go out in the sun for more than 15 minutes between 11am and 3pm?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely 5. Never in the sun for more than 15 minutes R. Refused X. Don't know
SPSV3	\$1	\$CSPSV3F	Hat wearing in the last 4 weeks	In the last 4 weeks, when you were out in the sun for more than 15 minutes, how often did you wear a broad brimmed hat or cap with a back flap?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know
SPSV4	\$1	\$CSPSV4F	Use of sun screen in the last 4 weeks	Still thinking about the last 4 weeks, how often did you apply a broad-spectrum sunscreen with an SPF of 15 or more to your exposed skin?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know
SPSV5	\$1	\$CSPSV5F	Use of protective clothing in the last 4 weeks	Still thinking about the last 4 weeks, how often were you deliberately dressed in clothing to protect you from the sun?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know
SPSV6	\$1	\$CSPSV6F	Frequency of sunburn in the last 4 weeks	Still thinking about the last 4 weeks, how often did you get sunburnt, so your skin was still sore or tender the next day?	Single response [Read out]	1. Not at all 2. Once 3. Twice 4. 3 or 4 times 5. 5 or more times R. Refused X. Don't know or don't recall
STIYR	\$1	\$CSTIYRF	HIV test in last 12 months	Have you had a blood test for HIV in the last 12 months? . IF ASKED: Sexual Health Information Line: (02)9382 7440 or free-call 1800 451 624 (outside Sydney).	Single response	1. Yes 2. No R. Refused X. Don't know
STRATA	\$5		Stratification ID			
STRATAVAR	\$15		Units from which the frame or frames was stratified.		Derived variable	
SURVYEAR	8		Year survey completed		Derived variable	
W3	8		Weight (kg)		Derived variable which combines weight measured in kilograms and weight measured in stone*6.35 and pounds*0.4536.	
WA1	8		Physical activity calculation walking in last week		Derived variable	
WA2	8		Physical activity calculation walking in last week		Derived variable	
WA3	8		Minutes spent walking in last week		Derived variable	
WGT	8		Post-stratification weight		Annual weights for varying probability of selection and differences between the age and sex structure of the sample and the population (age *sex*health area). Should be used when calculating prevalence estimates.	
YEAR	8		Survey year		Report survey year	
Z2	8		Times salty snacks usually eaten per week		Derived variable	

Note: HSA14_MART public data dictionary

Source: New South Wales Population Health Survey 2014 (SAPHaRI). Centre for Epidemiology and Evidence, NSW Ministry of Health.